



US00D382016S

**United States Patent** [19]  
**Takahashi**

[11] **Patent Number: Des. 382,016**  
[45] **Date of Patent: \*\*Aug. 5, 1997**

[54] **WRITING INSTRUMENT**

[75] **Inventor: Osamu Takahashi, Kawagoe, Japan**

[73] **Assignee: Kotobuki & Co., Ltd., Kyoto, Japan**

[\*\*] **Term: 14 Years**

[21] **Appl. No.: 56,846**

[22] **Filed: Jul. 10, 1996**

[30] **Foreign Application Priority Data**

Feb. 2, 1996 [JP] Japan ..... 8-2388

[51] **LOC (6) Cl. .... 19-06**

[52] **U.S. Cl. .... D19/51; D19/48; D19/56**

[58] **Field of Search .... D19/35, 36, 41-51,  
D19/53-58, 81-85; 401/99, 100, 104, 209,  
6, 7, 88, 52, 195**

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 202,952	11/1965	Stephens, Jr. ....	D19/49
D. 312,837	12/1990	Oka .....	D19/51
D. 323,186	1/1992	Clark et al. ....	D19/48
D. 340,476	10/1993	Hiromori .....	D19/43 X
D. 363,308	10/1995	Sekine .....	D19/49 X
D. 363,739	10/1995	Petrillo .....	D19/48
D. 367,076	2/1996	BoixGacia .....	D19/51
2,060,406	11/1936	Tiede .....	D19/36 X
3,963,358	6/1976	Housor .....	401/195

*Primary Examiner*—Martie Thompson  
*Attorney, Agent, or Firm*—Whitham, Curtis, Whitham & McGinn

[57] **CLAIM**

The ornamental design for a writing instrument, as shown and described.

**DESCRIPTION**

FIG. 1 is a front view in elevation of the writing instrument according to a first embodiment of the present invention;

FIG. 2 is a right side elevational view of the writing instrument of FIG. 1, the left side being a mirror image of the right side;

FIG. 3 is a rear view in elevation of the writing instrument of FIG. 1;

FIG. 4 is a top plan view of the writing instrument of FIG. 1;

FIG. 5 is a bottom plant view of the writing instrument of FIG. 1;

FIG. 6 is a front view in elevation of the writing instrument of FIG. 1, with the writing tip of the writing instrument of FIG. 1 being extended;

FIG. 7 is a front perspective view of the writing instrument of FIG. 1;

FIG. 8 is a front perspective view of the writing instrument of FIG. 1, with the writing tip of the writing instrument of FIG. 1 being extended;

FIG. 9 is a front view in elevation of the writing instrument according to a second embodiment of the present invention;

FIG. 10 is a right side elevational view of the writing instrument of FIG. 9, the left side being a mirror image of the right side;

FIG. 11 is a rear view in elevation of the writing instrument of FIG. 9;

FIG. 12 is a top plan view of the writing instrument of FIG. 9;

FIG. 13 is a bottom plan view of the writing instrument of FIG. 9;

FIG. 14 is a front view in elevation of the writing instrument of FIG. 9, with the writing tip of the writing instrument of FIG. 9 being extended;

FIG. 15 is a front perspective view of the writing instrument of FIG. 9; and,

FIG. 16 is a front perspective view of the writing instrument of FIG. 9, with the writing instrument of FIG. 9 being extended.

**1 Claim, 4 Drawing Sheets**




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 14




FIG. 15

FIG. 16

FIG. 12




FIG. 13

