

### US00D382255S

# United States Patent

### Moffatt

Des. 382,255

Date of Patent:

[11] Patent Number:

\*\*Aug. 12, 1997

[54]	INFRA-RED TRANSMITTER/RECEIVER FOR A DESKTOP PERSONAL COMPUTER		
[75]	Inventor:	Susa N.C.	n Sommers Moffatt, Chapel Hill,
[73]	Assignee:		rnational Business Machines poration, Armonk, N.Y.
[**]	Term:	14 Y	ears
[21]	Appl. No.: <b>50,794</b>		
[22]	Filed:	Feb.	26, 1996
[51]	LOC (6) (	Cl	
			<b>D14/107</b> ; D14/114; D13/147
	Field of Search		
			4/114; D13/147, 162, 199; 345/158;
			361/690–695
[56] References Cited			
U.S. PATENT DOCUMENTS			
D.	269,673 7.	/1983	Johansson et al
			Nozo et al
			Sasaki
			Yoshihara
IJ.	359,042 6	(1332	Tamura D14/107 X

Attorney, Agent, or Firm—Anthony N. Magistrale

[57]

**CLAIM** 

The ornamental design for an infra-red transmitter/receiver for a desktop personal computer, as shown and described.

#### DESCRIPTION

FIG. 1 is a front, top and right side view of an infra-red transmitter/receiver for a desktop personal computer according to the present invention;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a rear elevational view thereof;

FIG. 4 is a right side elevational view thereof;

FIG. 5 is a left side elevational view thereof;

FIG. 6 is a top plan view thereof;

FIG. 7 is a bottom plan view thereof;

FIG. 8 is a front, top, and right side view of another embodiment of an infra-red transmitter/receiver for a desktop personal computer according to the present invention;

FIG. 9 is a front elevational view of the device of FIG. 8;

FIG. 10 is a rear elevational view of the device of FIG. 8;

FIG. 11 is a right side elevational view of the device of FIG. 8;

FIG. 12 is a left side elevational view of the device of FIG. 8;

FIG. 13 is a top plan view of the device of FIG. 8; and,

FIG. 14 is a bottom plan view of the device of FIG. 8;

### Primary Examiner—Freda Nunn

## 1 Claim, 8 Drawing Sheets





FIG. 1






FIG. 2




FIG. 3

U.S. Patent

Aug. 12, 1997

Sheet 3 of 8

Des. 382,255

FIG. 4





FIG. 5



U.S. Patent

Aug. 12, 1997

Sheet 4 of 8

Des. 382,255

FIG. 6




FIG. 7






FIG. 8





Aug. 12, 1997

FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14