

# US00D382339S

# United States Patent [19]

# Coble

[11] Patent Number: Des. 382,339 [45] Date of Patent: \*\*Aug. 12, 1997

[54]	ARCUATE CAST REFRACTORY AND STEEL
	SEGMENT OF AN ANNEALING FURNACE
	BASE

[76] Inventor: Gary L. Coble, R.D. #2, Box 214,

DuBois, Pa. 15801

[\*\*] Term: 14 Years

[21] Appl. No.: 32,590

[22] Filed: Dec. 21, 1994

[52] **U.S. Cl.** ...... **D23/386**; D23/329

199, 116, 154

#### [56] References Cited

#### U.S. PATENT DOCUMENTS

D. 344,350	2/1994	De Pascale et al	3
1,829,320	10/1931	White.	
2,998,236	8/1961	Cramer et al 263/40	0
3,039,754	6/1962	Jones	7
3,081,074	3/1963	Blackman et al 263/4	7
3,149,827	9/1964	Whitten 263/47	7
3,693,955	9/1972	Wald et al 266/5	5
4,011,683	3/1977	De Sousa	5
4,294,438	10/1981	Nystrom et al 266/286	0
4,516,758	5/1985	Coble	3
4,611,791	9/1986	Coble	3
4,647,022	3/1987	Coble	2
4,653,171	3/1987	Coble	5
4,755,236	7/1988	Coble 148/13	3
5,048,802	9/1991	Coble	3
5,308,046	5/1994	Coble	3
5,335,897	8/1994	Coble 266/286	6

## FOREIGN PATENT DOCUMENTS

Primary Examiner—Lisa Lictenstein Attorney, Agent, or Firm—David A. Burge

### [57] CLAIM

The ornamental design for an arcuate cast refractory and steel segment of an annealing furnace base, as shown and described.

#### DESCRIPTION

FIG. 1 is a perspective view of one form of an arcuate cast refractory and steel segment of an annealing furnace base embodying my design, with the view showing principally top and front portions thereof;

FIG. 2 is a perspective view thereof showing principally bottom and rear portions thereof;

FIGS. 3 and 4 are top and bottom plan views thereof, respectively;

FIGS. 5 and 6 are front and rear elevational views thereof, respectively;

FIGS. 7 and 8 are left and right elevational views thereof, respectively;

FIG. 9 is a perspective view of a second form of an arcuate cast refractory and steel segment of an annealing furnace base embodying my design, with the view showing principally top and front portions thereof;

FIG. 10 is a perspective view of FIG. 9 showing principally bottom and rear portions thereof;

FIGS. 11 and 12 are top and bottom plan views of FIG. 9, respectively;

FIGS. 13 and 14 are front and rear elevational views of FIG. 9, respectively, but taken with the segment oriented as it is depicted in FIGS. 11 and 12;

FIGS. 15 and 16 are left and right elevational views of FIG. 9, respectively, but taken with the segment oriented as it is depicted in FIGS. 11 and 12;

FIG. 17 is a perspective view of a third form of an arcuate cast refractory and steel segment of an annealing furnace base embodying my design, with the view showing principally top and front portions thereof;

FIG. 18 is a perspective view of FIG. 17 showing principally bottom and rear portions thereof;

FIGS. 19 and 20 are top and bottom plan views of FIG. 17, respectively;

FIGS. 21 and 22 are front and rear elevational views, of FIG. 17, respectively;

FIGS. 23 and 24 are left and right elevational views of FIG. 17, respectively;




FIG. 25 is a perspective view of a fourth form of an arcuate cast refractory and steel segment of an annealing furnace base embodying my design, with the view showing principally top and front portions thereof;

FIG. 26 is a perspective view of FIG. 25 showing principally bottom and rear portions thereof;

FIGS. 27 and 28 are top and bottom plan views of FIG. 25, respectively;

FIGS. 29 and 30 are front and rear elevational views of FIG. 25, respectively, but taken with the segment oriented as it is depicted in FIGS. 27 and 28;

FIGS. 31 and 32 are left and right elevational views of FIG. 25, respectively, but taken with the segment oriented as it is depicted in FIGS. 27 and 28;

FIG. 33 is a perspective view of a fifth form of an arcuate cast refractory and steel segment of an annealing furnace base embodying my design, with the view showing principally top and front portions thereof;

FIG. 34 is a perspective view of FIG. 33 showing principally bottom and rear portions thereof;

FIGS. 35 and 36 are top and bottom plan views of FIG. 33, respectively;

FIGS. 37 and 38 are front and rear elevational views of FIG. 33, respectively;

FIGS. 39 and 40 are left and right elevational views of FIG. 33, respectively;

FIG. 41 is a perspective view of a sixth form of an arcuate cast refractory and steel segment of an annealing furnace base embodying my design, with the view showing principally top and front portions thereof;


FIG. 42 is a perspective view of FIG. 41 showing principally bottom and rear portions thereof;


FIGS. 43 and 44 are top and bottom plan views of FIG. 41, respectively;


FIGS. 45 and 46 are front and rear elevational viwes of FIG. 41, respectively, but taken with the segment oriented as it is depicted in FIGS. 43 and 44; and,


FIGS. 47 and 48 are left and right elevational views of FIG. 41, respectively, but taken with the segment oriented as it is depicted in FIGS. 43 and 44.


1 Claim, 6 Drawing Sheets







































F1G. 20





Aug. 12, 1997



















F I G. 36

















F I G. 48

