



US00D382379S

United States Patent [19]
Smith

[11] **Patent Number: Des. 382,379**
[45] **Date of Patent: **Aug. 12, 1997**

[54] **STRETCHABLE ANIMAL LEASH WITH DOUBLE CATCH**

[75] Inventor: **Jeremy J. Smith**, 945 Summer Lakes Dr., Orlando, Fla. 32835
[73] Assignee: **Jeremy J. Smith**, Orlando, Fla.
[**] Term: **14 Years**

[21] Appl. No.: **48,456**
[22] Filed: **Dec. 29, 1995**

[51] **LOC (6) Cl.** **30-09**
[52] **U.S. Cl.** **D30/153; D30/151**
[58] **Field of Search** **D30/151, 152, D30/153, 144, 199; 119/798, 795, 797, 784; D8/349, 354; 24/371, 375, 265 H**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 272,518	2/1984	Smith	D8/349
3,251,104	5/1966	Sylvester	24/375
5,003,929	4/1991	Dean	119/784

FOREIGN PATENT DOCUMENTS

53623	9/1937	Denmark	119/795
2039705	8/1980	United Kingdom	119/795

OTHER PUBLICATIONS

Anchor Brand Hardware Products Catalog #87, p. 108, item #103, "Royal Safeguard Snaps" Jan. 1958.

Primary Examiner—Louis S. Zarfes
Assistant Examiner—Gregory Andoll

[57] **CLAIM**

The ornamental design for a stretchable animal leash with double catch, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of the stretchable animal leash with double catch showing my new design;
FIG. 2 is a rear elevational view thereof;
FIG. 3 is a left side elevational view thereof;
FIG. 4 is a right side elevational view thereof;
FIG. 5 is a top plan view thereof; and,
FIG. 6 is a bottom plan view thereof.

The stretchable animal leash with double catch has been shown broken away in FIGS. 1—4 into indicate indeterminate length.

1 Claim, 3 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

