

US00D382503S

United States Patent [19]

Kalbach

[11] Patent Number: Des. 382,503 [45] Date of Patent: **Aug. 19, 1997

[54]	LANYARD		
[76]	Inventor:		ard Van Lee Kalbach, 575 W. South, Nibley, Utah 84321
[**]	Term:	14 Y	ears
[21]	Appl. No.: 49,100		
[22]	Filed:	Jan.	17, 1996
[51]	LOC (6) Cl 11-01		
	U.S. Cl D11/7		
	Field of Search		
[]			63/2; D3/207–211
[56] References Cited			
U.S. PATENT DOCUMENTS			
D.	278,369	1/1985	Pringle et al D11/7
D.	310,305	9/1990	Scognamillo et al
D.			Scognamillo et al
			Bowie et al
	652,891	//1900	Cochran D11/7

Primary Examiner—Ralf Seifert Attorney, Agent, or Firm—Trask, Britt & Rossa

[57] CLAIM

The ornamental design for a lanyard, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a lanyard showing my new design;

FIG. 2 is a top view of the lanyard of FIG. 1; the bottom plan view being a mirror image thereof;

FIG. 3 is a right side view of the lanyard of FIG. 2; the left side being a mirror image thereof;

FIG. 4 is a top view of the lanyard of FIG. 2 with the connection member being shown in a disengaged condition; FIG. 5 is a right side view of the lanyard of FIG. 4; the left side being a mirror image thereof;


FIG. 6 is a top plan view of a lanyard showing a second embodiment of my new design, the bottom plan view being a mirror image;

FIG. 7 is a right side view of the lanyard of FIG. 6; the left side view being a mirror image thereof;

FIG. 8 is a top plan view of a lanyard showing a third embodiment of my new design, the bottom plan view being a mirror image thereof; and,

FIG. 9 is a right side view of the lanyard of FIG. 8; the left side view being a mirror image thereof.

1 Claim, 5 Drawing Sheets



Aug. 19, 1997




Fig. 1




Fig. 2

Fig. 3




Fig. 5 Fig. 4

Aug. 19, 1997




Fig. 6

Fig. 7




Fig. 8

Fig. 9