



US00D382533S

**United States Patent** [19]  
**Okland**

[11] **Patent Number: Des. 382,533**

[45] **Date of Patent: \*\*Aug. 19, 1997**

[54] **RAIL TIE DOWN FOR VEHICLE**

4,604,013 8/1986 Elwell et al. .... 410/106  
4,872,719 10/1989 Cardwell ..... 296/36 X

[75] **Inventor: Merlyn C. Okland**, Story City, Iowa

[73] **Assignee: Putco, Inc.**, Story City, Iowa

[\*\*] **Term: 14 Years**

*Primary Examiner*—B. J. Bullock  
*Assistant Examiner*—Cathron B. Matta  
*Attorney, Agent, or Firm*—Zarley, McKee, Thomte,  
Voorhees, & Sease

[21] **Appl. No.: 31,683**

[57] **CLAIM**

[22] **Filed: Dec. 2, 1994**

The ornamental design for a rail tie down for vehicle, as shown and described.

**Related U.S. Application Data**

**DESCRIPTION**

[63] **Continuation-in-part** of Ser. No. 187,613, Jan. 27, 1994, Pat. No. 5,476,349.

FIG. 1 is a perspective view of the design mounted on a vehicle with the vehicle being shown in broken lines; FIG. 2 is an enlarged perspective view of the design; FIG. 3 is a still further enlarged perspective view of the design, with the center section of the design being removed for ease of illustration; FIG. 4 is a front elevational view of the design shown in FIG. 3. FIG. 5 is a side elevational view the design shown in FIG. 3. FIG. 6 is a top plan view of the design shown in FIG. 3. FIG. 7 is a bottom plan view of the design shown in FIG. 3. The broken line showing of vehicle is for illustrative purposes only and forms no part of the claimed design.

[51] **LOC (6) Cl.** ..... 12-16

[52] **U.S. Cl.** ..... **D12/414**

[58] **Field of Search** ..... D12/414; 224/322, 224/324, 403; 296/3, 10, 36, 37.6, 37.7, 43, 123; 410/106

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 264,203	5/1982	Bott	.....	D12/412
D. 272,817	2/1984	Mareydt	.....	D12/414
D. 299,017	12/1988	Renn	.....	D12/414
D. 325,552	4/1992	Stapleton et al.	.....	D12/414
D. 334,373	3/1993	Cucheran	.....	D12/414

**1 Claim, 2 Drawing Sheets**





