



US00D383075S

# United States Patent [19]

[11] Patent Number: **Des. 383,075**

Sawaguchi et al.

[45] Date of Patent: **\*\*Sep. 2, 1997**

[54] **SURVEYING APPARATUS UTILIZING A LASER BEAM**

[75] Inventors: **Shigeyuki Sawaguchi**,  
Minami-ashigara; **Takenori Ryouke**;  
**Takumi Hirakawa**, both of Isehara;  
**Jiang Yin**, Kawasaki; **Hiroyuki**  
**Nakabe**, Sagamihara; **Shunji**  
**Yamagata**, Kawasaki; **Yukiko Chiba**,  
Odawara, all of Japan

[73] Assignee: **Sokkia Co., Ltd.**, Tokyo, Japan

[\*\*] Term: **14 Years**

[21] Appl. No.: **44,974**

[22] Filed: **Oct. 4, 1995**

[30] **Foreign Application Priority Data**

Jun. 26, 1995 [JP] Japan ..... 7-17971

[51] LOC (6) Cl. .... **10-04**

[52] U.S. Cl. .... **D10/66**

[58] **Field of Search** ..... D10/66; 33/291,  
33/292, 293, 294, DIG. 8, DIG. 21; 356/138-142,  
399-401

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 363,240	10/1995	Hirakawa et al. ....	D10/66
4,202,110	5/1980	Kooi .....	D10/66 X
4,752,126	6/1988	Fujii .....	356/140
5,505,000	4/1996	Cooke .....	33/286

*Primary Examiner*—Antoine Duval Davis  
*Attorney, Agent, or Firm*—Bacon & Thomas

[57] **CLAIM**

The ornamental design for a surveying apparatus utilizing a laser beam, as shown.

**DESCRIPTION**

FIG. 1 is a front, top and right side perspective view of a surveying apparatus utilizing a laser beam, showing our new design;

FIG. 2 is a top, rear and left side perspective view thereof;

FIG. 3 is a front elevational view thereof;

FIG. 4 is a right side elevational view thereof;

FIG. 5 is a rear elevation view thereof;

FIG. 6 is a left side elevational view thereof;

FIG. 7 is a top plan view thereof; and,

FIG. 8 is a bottom plan view thereof.

**1 Claim, 2 Drawing Sheets**




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8

