



US00D383078S

United States Patent [19]
Carmi

[11] **Patent Number:** **Des. 383,078**
[45] **Date of Patent:** ****Sep. 2, 1997**

[54] **PASSIVE INFRA-RED SENSOR**
[75] **Inventor:** **Bilha Carmi**, Netanya, Israel
[73] **Assignee:** **Visonic Ltd.**, Tel Aviv, Israel
[**] **Term:** **14 Years**
[21] **Appl. No.:** **39,853**
[22] **Filed:** **Jun. 6, 1995**

D. 302,952 8/1989 Soloway et al. .
D. 320,952 10/1991 Soloway et al. D10/106
D. 327,657 7/1992 Marcou et al. .
D. 332,227 1/1993 Kancko D10/78
D. 339,079 9/1993 Behlke D10/104
D. 339,759 9/1993 Ho .
D. 346,567 5/1994 Rimon D10/106
D. 358,108 5/1995 Yuen D10/106

Primary Examiner—Marcus A. Jackson
Attorney, Agent, or Firm—Darby & Darby

Related U.S. Application Data

[60] Continuation of Ser. No. 31,086, Nov. 17, 1994, abandoned, which is a division of Ser. No. 10,057, Jun. 28, 1993, Pat. No. Des. 356,748.

[51] **LOC (6) Cl.** **10-05**
[52] **U.S. Cl.** **D10/106**
[58] **Field of Search** D10/104, 106,
D10/116, 121; 340/500, 506, 540, 541,
545, 573, 574, 575, 576, 577, 578, 589,
600, 693

[57] **CLAIM**

The ornamental design for passive infra-red sensor, as shown and described.

DESCRIPTION


FIG. 1 is a front view;
FIG. 2 is a rear view;
FIG. 3 is a right-side view;
FIG. 4 is a left-side view;
FIG. 5 is a bottom view;
FIG. 6 is a top view;
FIG. 7 is an isometric view; and,
FIG. 8 is an isometric view.

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 302,951 8/1989 Kotlicki et al. D10/106

1 Claim, 4 Drawing Sheets






FIG. 2




FIG. 1




FIG. 4




FIG. 3




FIG. 5




FIG. 6




FIG. 8




FIG. 7