



US00D383234S

United States Patent [19]
Smith

[11] **Patent Number: Des. 383,234**

[45] **Date of Patent: **Sep. 2, 1997**

[54] **FRONT, REAR, TOP AND BOTTOM OF A SAFETY LIGHT**

[76] **Inventor: Fred L. Smith, 7141 Majorca Ct., El Paso, Tex. 79912**

[**] **Term: 14 Years**

[21] **Appl. No.: 31,888**

[22] **Filed: Dec. 8, 1994**

[51] **LOC (6) CL 26-02**

[52] **U.S. Cl. D26/49**

[58] **Field of Search D26/37, 38, 39, D26/40, 42, 46, 49; 362/157, 158, 183, 186, 203, 202, 253, 96; D22/117; 222/113**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 242,277 11/1976 Waldorf D26/38
3,097,799 7/1963 Mosman 362/202

3,638,836 2/1972 Vickers, III .
3,716,170 2/1973 Mangels 362/96 X
3,776,429 12/1973 DeLucia 362/96 X
4,446,990 5/1984 Stevenson et al. .
5,086,377 2/1992 Roberts .
5,119,280 6/1992 Yang .
5,287,995 2/1994 Redman et al. .
5,307,249 4/1994 Vanwynsberghe 362/96
5,331,523 7/1994 Delzer 362/96

Primary Examiner—Susan J. Lucas

[57] **CLAIM**

The ornamental design for the front, rear, top and bottom of a safety light, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view thereof;
FIG. 2 is a rear side elevational view thereof;
FIG. 3 is a top plan view thereof; and,
FIG. 4 is a bottom plan view thereof.

1 Claim, 2 Drawing Sheets





FIG. 1




FIG. 2




FIG. 3




FIG. 4

