



US00D383299S

United States Patent [19]

Yun

[11] Patent Number: Des. 383,299

[45] Date of Patent: **Sep. 9, 1997

[54] ELEMENT OF A SHOE SOLE

5,319,866 6/1994 Foley et al.
5,377,430 1/1995 Hatfield et al.

[75] Inventor: Ben S. Yun, Beaverton, Oreg.

OTHER PUBLICATIONS

[73] Assignee: Nike, Inc., Beaverton, Oreg.

Nike Footwear Catalog, Fall 1989; published Dec. 1988; p. 28.

[**] Term: 14 Years

Nike Footwear Catalog, Holiday 1996; published Mar. 1996; pp. 37, 45, 151.

[21] Appl. No.: 62,044

Nike Footwear Catalog, Spring 1997; published Jun. 1996; pp. 23, 45, 46, 51, 131, 132, 146, 142, 151.

[22] Filed: Nov. 6, 1996

Nike Footwear Catalog, Late Spring 1997; published Sep. 1996; pp. 6, 7, 34, 48, 49, 50, 97, 106, 198, 199, 208.

[51] LOC (6) Cl. 02-99

Primary Examiner—Dominic Simone
Attorney, Agent, or Firm—Banner & Witcoff, Ltd.

[52] U.S. Cl. D2/972

[58] Field of Search D2/896, 902, 907,
D2/972, 946, 947, 976, 969, 977; 36/114,
116, 45, 47, 48, 50.1

[57] CLAIM

[56] References Cited

The ornamental design for an element of a shoe sole, as shown and described.


U.S. PATENT DOCUMENTS

DESCRIPTION

D. 249,748	10/1978	Kitamura .
D. 262,581	1/1982	Chevallereau .
D. 265,436	7/1982	Vermonet .
D. 307,212	4/1990	Aveni .
D. 311,447	10/1990	Hatfield .
D. 311,810	11/1990	Hatfield .
D. 311,989	11/1990	Parker et al. D2/947
D. 333,034	2/1993	McDonald .
D. 334,650	4/1993	Teague D2/977
D. 342,606	12/1993	Cotsidas .
D. 347,318	5/1994	Avar D2/977
D. 348,150	6/1994	Lucas D2/977
D. 350,013	8/1994	Gitelman .
D. 350,222	9/1994	Hase .
D. 350,637	9/1994	Mitsui .
D. 355,754	2/1995	Brandon .
D. 356,884	4/1995	Ho .
D. 366,951	2/1996	Ho .
D. 370,992	6/1996	Preskar et al. D2/902
D. 373,674	9/1996	Dolinsky D2/947
D. 378,011	2/1997	Lucas D2/947
4,881,329	11/1989	Crowley .
5,048,203	9/1991	Kling .

FIG. 1 is a side elevational view of an element of shoe sole showing a first embodiment of my new design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a rear elevational view thereof;
FIG. 4 is a top plan view thereof;
FIG. 5 is a cross-sectional view taken along the line 5—5 of FIG. 4;
FIG. 6 is a cross-sectional view taken along the line 6—6 of FIG. 4;
FIG. 7 is a side elevational view of a second embodiment of my new design;
FIG. 8 is a front elevational view thereof;
FIG. 9 is a rear elevational view thereof; and,
FIG. 10 is a top plan view thereof.
The broken line showing of a shoe in FIGS. 1-4 and 7-10 is for illustrative purposes only and forms no part of the claimed design.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5



FIG. 6




FIG. 7




FIG. 8




FIG. 9

U.S. Patent

Sep. 9, 1997

Sheet 4 of 4

Des. 383,299




FIG. 10