



US00D383320S

United States Patent

[19]

Gilbertson[11] **Patent Number:** **Des. 383,320**[45] **Date of Patent:** ****Sep. 9, 1997****[54] SEAT****[75] Inventor:** **Mark A. Gilbertson**, Sauk City, Wis.**[73] Assignee:** **Sears Manufacturing Company**,
Davenport, Iowa**[**] Term:** **14 Years****[21] Appl. No.:** **49,947****[22] Filed:** **Feb. 6, 1996****[51] LOC (6) Cl.** **06-01****[52] U.S. Cl.** **D6/356****[58] Field of Search** **D6/334, 335, 356,
D6/367, 375, 500, 501, 502; 297/452.24,
452.26, 452.34, 452.35****[56] References Cited****U.S. PATENT DOCUMENTS**

D. 273,540 4/1984 Wagner et al. D6/356
D. 282,126 1/1986 Hopfer D6/367
D. 282,609 2/1986 Stulik D6/356

D. 371,465 7/1996 Stulik D6/356
3,924,893 12/1975 Ferrara D6/356 X
4,707,027 11/1987 Horvath et al. D6/356 X
5,437,498 8/1995 Waelde 297/452.34

Primary Examiner—Gary D. Watson
Attorney, Agent, or Firm—Niro, Scavone, Haller & Niro

[57] CLAIM

The ornamental design for a seat, as shown and described.

DESCRIPTION

FIG. 1 is a front, top and left perspective view of a seat;
FIG. 2 is a top view of the embodiment of the seat as
illustrated in FIG. 1;

FIG. 3 is a front view of the embodiment of the seat as
illustrated in FIG. 1;

FIG. 4 is a rear view of the embodiment of the seat as
illustrated in FIG. 1; and,

FIG. 5 is a left side view of the embodiment of the seat as
illustrated in FIG. 1, the opposite side being a mirror image
thereof.


1 Claim, 2 Drawing Sheets

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5

