



US00D383379S

United States Patent [19] Keegan

[11] Patent Number: **Des. 383,379**

[45] Date of Patent: ****Sep. 9, 1997**

[54] **ELECTRICAL SECURING CORD**

[76] Inventor: **Jonathan D. Keegan**, 422 Manor St.,
Hanover, Pa. 17331

[**] Term: **14 Years**

[21] Appl. No.: **50,766**

[22] Filed: **Dec. 11, 1995**

[51] LOC (6) Cl. **08-08**

[52] U.S. Cl. **D8/394**

[58] **Field of Search** D8/394, 396, 382,
D8/300; D2/891; 24/16 PB, 16 R. 305;
248/74.3

5,123,686 6/1992 Wenk 24/16 PB X
 5,172,879 12/1992 Calmettes et al. 248/74.3
 5,224,244 7/1993 Ikeda et al. 248/74.3 X
 5,303,571 4/1994 Quinn et al. 24/16 X
 5,479,797 1/1996 Peterson 24/16 PB

Primary Examiner—Paula A. Mortimer

[57] CLAIM

The ornamental design for an electrical securing cord, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of an electrical securing cord showing my new design;
 FIG. 2 is a right side elevational view thereof, the broken line showing of the plug, cord, and outlet is for illustrative purposes only and forms no part of the claimed design;
 FIG. 3 is a top plan view;
 FIG. 4 is a bottom plan view;
 FIG. 5 is a right side elevational view;
 FIG. 6 is a front elevational view; and,
 FIG. 7 is a rear elevational view.

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 208,729 9/1967 Geisinger D8/394
 D. 224,960 10/1972 Wilson D8/396
 255,782 7/1882 Forest .
 3,605,199 9/1971 Eberhardt 24/16 PB
 4,236,280 12/1980 Kreiseder 24/16 PB
 4,418,448 12/1983 Sauer 24/16 PB X
 4,940,268 7/1990 Lesquir et al. D8/396 X

1 Claim, 2 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 7




FIG. 6

