



US00D383414S

United States Patent [19]
McDonough

[11] **Patent Number: Des. 383,414**
[45] **Date of Patent: **Sep. 9, 1997**

[54] **SNAP DEVICE FOR TEMPORARILY FASTENING PAIRS OF ARTICLES**

[76] **Inventor: Patricia A. McDonough**, 7 Morris Blvd., Conklin, N.Y. 13848

[**] **Term: 14 Years**

[21] **Appl. No.: 46,783**

[22] **Filed: Sep. 18, 1995**

[51] **LOC (6) Cl. 02-07**

[52] **U.S. Cl. D11/220**

[58] **Field of Search** D11/200, 220,
D11/206, 213; 24/3.1, 4, 90.1, 94, 379.1,
380

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 301,567	6/1989	Burke	D11/220
2,228,578	1/1941	Mayer et al.	D11/222
5,033,168	7/1991	Sbragi	24/90.1
5,357,660	10/1994	Smith	24/90.1

Primary Examiner—Ralf Seifert
Attorney, Agent, or Firm—Salzman & Levy

[57] **CLAIM**

The ornamental design for a snap device for temporarily fastening pairs of articles, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a snap device for temporarily fastening pairs of articles showing the first half of my new design;

FIG. 2 is a top plan view of the first half of the snap device shown in FIG. 1;

FIG. 3 is a side plan view of the first half of the snap device shown in FIG. 1;

FIG. 4 is a bottom plan view of the first half of the snap device shown in FIG. 1;

FIG. 5 is a perspective view of a second, mating half of the snap device of the invention;

FIG. 6 is a top plan view of the second, mating half of the snap device shown in FIG. 5;

FIG. 7 is a side plan view of the second, mating half of the snap device shown in FIG. 5;

FIG. 8 is a bottom plan view of the second, mating half of the snap device shown in FIG. 5;

FIG. 9 is a perspective view of a snap device for temporarily fastening pairs of articles showing my new design;

FIG. 10 is a top plan view of the assembly shown in FIG. 9;

FIG. 11 is a side plan view of the assembly shown in FIG. 9;

FIG. 12 is a bottom plan view of the assembly shown in FIG. 9;

FIG. 13 is a perspective view of a pair of assembled snap device, mated one to the other;

FIG. 14 is a top or bottom plan view of the pair of assembled snap devices shown in FIG. 13;

FIG. 15 is a side plan view of the pair of assembled snap devices shown in FIG. 13; and,

FIG. 16 is a perspective view of the first assembled snap device attached to a first sock; a second assembled snap device attached to a second sock, the broken line showing socks form no part of the invention.

1 Claim, 5 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16

