



US00D383450S

United States Patent [19]
Iimura

[11] **Patent Number:** **Des. 383,450**
[45] **Date of Patent:** ****Sep. 9, 1997**

[54] **IMAGE INPUTTING DEVICE**

D. 350,733 9/1994 Masujima D14/107

[75] **Inventor:** **Masayuki Iimura**, Kunitachi, Japan

Primary Examiner—Freda Nunn

[73] **Assignee:** **Canon Kabushiki Kaisha**, Tokyo, Japan

Attorney, Agent, or Firm—Fitzpatrick, Cella, Harper & Scinto

[**] **Term:** **14 Years**

[57] **CLAIM**

[21] **Appl. No.:** **53,922**

The ornamental design for an image inputting device, as shown and described.

[22] **Filed:** **May 2, 1996**

DESCRIPTION

[30] **Foreign Application Priority Data**

Nov. 8, 1995 [JP] Japan 7-33643

FIG. 1 is a front view of an image inputting device showing my new design;

[51] **LOC (6) Cl.** **14-02**

FIG. 2 is a rear view thereof;

[52] **U.S. Cl.** **D14/107**

FIG. 3 is a top plan view thereof;

[58] **Field of Search** D14/100, 105,
D14/107-109, 118; D18/36, 37, 39; 250/556,
563; 235/454, 462, 470; 358/408, 472,
474

FIG. 4 is a bottom plan view thereof;

FIG. 5 is a left side view thereof;

FIG. 6 is a right side view thereof; and,

FIG. 7 is a perspective view thereof.

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 340,039 10/1993 Tashiro et al. D14/107

1 Claim, 5 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

