



US00D383712S

# United States Patent [19]

[11] Patent Number: Des. 383,712

Scheuren et al.

[45] Date of Patent: \*\*Sep. 16, 1997

[54] TIRE TREAD

[75] Inventors: Daniel Scheuren, Bastogne; Michel Pierre Charles Robert, Fauvillers, both of Belgium

[73] Assignee: The Goodyear Tire & Rubber Company, Akron, Ohio

[\*\*] Term: 14 Years

[21] Appl. No.: 53,458

[22] Filed: Apr. 23, 1996

[51] LOC (6) Cl. .... 12-15

[52] U.S. Cl. .... D12/143

[58] Field of Search ..... D12/136, 138, D12/141-143, 145-151; 152/209 A, 209 D, 209 R

D. 279,891	7/1985	German et al. ....	D12/146
D. 280,981	10/1985	Ohta et al. ....	D2/142
D. 283,608	4/1986	Nishio et al. ....	D12/146
D. 288,078	2/1987	Hasegawa ....	D12/146

(List continued on next page.)

### FOREIGN PATENT DOCUMENTS

0255815 2/1988 European Pat. Off. .... 152/209 R

### OTHER PUBLICATIONS

Goodyear Unisteel G291 Tire, Tread Design Guide, p. 139 Jan. 1994.

Sumitomo HTR 4 Tire, Tread Design Guide, p. 61 Jan. 1995.

Toyo 600 HT Tire, Tread Design Guide, p. 63 Jan. 1995.

Goodyear Wrangler RT/S Tire, Tread Design Guide, p. 90 Jan. 1995.

Primary Examiner—James Gandy

Assistant Examiner—R. Spear

Attorney, Agent, or Firm—T P Lewandowski

[56] References Cited

#### U.S. PATENT DOCUMENTS

D. 194,011	11/1962	Tiborcz .	
D. 195,662	7/1963	Wyman .	
D. 199,722	12/1964	Busch et al. .	
D. 205,391	7/1966	Wittenmyer .	
D. 229,247	11/1973	Holmes .	
D. 235,535	6/1975	Holmes .....	D12/142
D. 243,449	2/1977	Hayakawa et al. ....	D12/142
D. 244,181	5/1977	Maeda et al. ....	D12/142
D. 247,109	1/1978	Jamain .....	D12/148
D. 248,227	6/1978	Jamain .....	D12/146
D. 248,292	6/1978	Maeda et al. ....	D12/142
D. 254,542	3/1980	Hitzky .....	D12/151
D. 254,784	4/1980	Sakaki .....	D12/145
D. 261,492	10/1981	Remy .....	D12/143
D. 261,496	10/1981	Remy .....	D12/143
D. 263,694	4/1982	Arendt .....	D12/143
D. 269,005	5/1983	Hammond et al. ....	D12/143
D. 269,337	6/1983	Maeda et al. ....	D12/146
D. 269,338	6/1983	Kojima et al. ....	D12/147
D. 269,865	7/1983	Tomoda .....	D12/143
D. 277,468	2/1985	Nagayasu .....	D12/147
D. 278,223	4/1985	Kojima et al. ....	D12/147
D. 278,224	4/1985	Nakamura et al. ....	D12/151
D. 279,088	6/1985	Giron .....	D12/147
D. 279,178	6/1985	Nakamura et al. ....	D12/151

[57] CLAIM

The ornamental design for a tire tread, as shown and described.

### DESCRIPTION

FIG. 1 is a perspective view of a tire tread, it being understood that the tread pattern repeats uniformly throughout the circumference of the tread;

FIG. 2 is a front elevational view thereof;


FIG. 3 is a side elevational view thereof the opposite side elevational view being identical thereto;

FIG. 4 is an enlarged fragmentary front view thereof; and,

FIG. 5 is a front elevational view of another embodiment thereof, it being understood that the tread pattern repeats uniformly throughout the circumference of the tread and that the sides of the tread are the same as the first embodiment, as shown in FIG. 3.

In the drawings, the broken lines defining the inner bead of the tire, the tire sidewall and the peripheral boundary between the tire tread and the sidewall are for illustrative purposes only and form no part of the claimed design.

1 Claim, 5 Drawing Sheets



## U.S. PATENT DOCUMENTS

D. 288,307	2/1987	Ono .....	D12/146	D. 327,042	6/1992	Koyama .....	D12/149
D. 289,027	3/1987	Diensthuber .....	D12/147	D. 328,578	8/1992	Cormier et al. ....	D12/146
D. 291,793	9/1987	Clemens .....	D12/147	D. 329,217	9/1992	Ota et al. ....	D12/146
D. 292,786	11/1987	Schoonhoven .....	D12/147	D. 334,362	3/1993	Stone et al. ....	D12/147
D. 294,687	3/1988	Stelzer .....	D12/142	D. 334,363	3/1993	Grenie .....	D12/147
D. 294,812	3/1988	Takeuchi .....	D12/146	D. 334,365	3/1993	Enterline .....	D12/147
D. 294,815	3/1988	Nagayasu .....	D12/147	D. 334,369	3/1993	Christenbury .....	D12/140
D. 294,929	3/1988	Clemens .....	D12/147	D. 334,370	3/1993	White .....	D12/140
D. 294,930	3/1988	Slagh .....	D12/147	D. 334,371	3/1993	Hodges .....	D12/140
D. 297,723	9/1988	Corner .....	D12/147	D. 340,013	10/1993	Downey et al. ....	D12/147
D. 299,328	1/1989	Lyle et al. ....	D12/146	D. 340,014	10/1993	Grenie et al. ....	D12/147
D. 299,329	1/1989	Wallet et al. ....	D12/146	D. 345,327	3/1994	Ota et al. ....	D12/146
D. 299,332	1/1989	Carretta .....	D12/147	D. 345,951	4/1994	Guspodin et al. ....	D12/147
D. 300,015	2/1989	Cottrell .....	D12/147	D. 345,952	4/1994	Christenbury .....	D12/147
D. 301,857	6/1989	Clunk et al. ....	D12/147	D. 347,812	6/1994	Simpson .....	D12/146
D. 303,944	10/1989	Himuro et al. ....	D12/146	D. 348,639	7/1994	Matsushita et al. ....	D12/147
D. 304,558	11/1989	Fukumoto .....	D12/146	D. 348,863	7/1994	Narabayashi et al. ....	D12/146
D. 306,846	3/1990	Guspodin .....	D12/146	D. 348,864	7/1994	Hashimura .....	D12/147
D. 308,188	5/1990	Hinrichsen et al. ....	D12/146	D. 349,081	7/1994	Downey et al. ....	D12/147
D. 308,189	5/1990	Hinrichsen et al. ....	D12/147	D. 350,090	8/1994	Sugimoto .....	D12/146
D. 309,723	8/1990	Nock et al. ....	D12/146	D. 350,316	9/1994	Sulkowski .....	D12/147
D. 311,366	10/1990	Kuroda .....	D12/147	D. 350,317	9/1994	Evraert .....	D12/147
D. 313,383	1/1991	Enoki .....	D12/142	D. 350,713	9/1994	Emerson .....	D12/143
D. 313,581	1/1991	Goto et al. ....	D12/146	D. 350,925	9/1994	Manestar .....	D12/147
D. 316,692	5/1991	Fukumoto .....	D12/146	D. 350,927	9/1994	Manestar .....	D2/147
D. 317,741	6/1991	Kuroda .....	D12/147	D. 350,929	9/1994	Attinello et al. ....	D12/147
D. 323,310	1/1992	Nakatani .....	D12/146	D. 351,126	10/1994	Manestar .....	D12/146
D. 326,074	5/1992	Himuro et al. ....	D12/147	D. 354,025	1/1995	McKisson .....	D12/146
D. 326,252	5/1992	Slagh .....	D12/147	D. 354,027	1/1995	Grosskopf .....	D12/146
				D. 354,031	1/1995	McKisson .....	D12/147




FIG-1




FIG-2




FIG-3




FIG-4




FIG-5