



US00D383712S

United States Patent [19]

[11] Patent Number: **Des. 383,712**

Scheuren et al.

[45] Date of Patent: ****Sep. 16, 1997**

[54] **TIRE TREAD**

[75] Inventors: **Daniel Scheuren, Bastogne; Michel Pierre Charles Robert, Fauvillers, both of Belgium**

[73] Assignee: **The Goodyear Tire & Rubber Company, Akron, Ohio**

[**] Term: **14 Years**

[21] Appl. No.: **53,458**

[22] Filed: **Apr. 23, 1996**

[51] LOC (6) Cl. **12-15**

[52] U.S. Cl. **D12/143**

[58] Field of Search D12/136, 138, D12/141-143, 145-151; 152/209 A, 209 D, 209 R

D. 279,891	7/1985	German et al.	D12/146
D. 280,981	10/1985	Ohta et al.	D2/142
D. 283,608	4/1986	Nishio et al.	D12/146
D. 288,078	2/1987	Hasegawa	D12/146

(List continued on next page.)

FOREIGN PATENT DOCUMENTS

0255815 2/1988 European Pat. Off. 152/209 R

OTHER PUBLICATIONS

Goodyear Unisteel G291 Tire, Tread Design Guide, p. 139 Jan. 1994.

Sumitomo HTR 4 Tire, Tread Design Guide, p. 61 Jan. 1995.

Toyo 600 HT Tire, Tread Design Guide, p. 63 Jan. 1995.

Goodyear Wrangler RT/S Tire, Tread Design Guide, p. 90 Jan. 1995.

Primary Examiner—James Gandy

Assistant Examiner—R. Spear

Attorney, Agent, or Firm—T P Lewandowski

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 194,011	11/1962	Tiborcz .	
D. 195,662	7/1963	Wyman .	
D. 199,722	12/1964	Busch et al. .	
D. 205,391	7/1966	Wittenmyer .	
D. 229,247	11/1973	Holmes .	
D. 235,535	6/1975	Holmes	D12/142
D. 243,449	2/1977	Hayakawa et al.	D12/142
D. 244,181	5/1977	Maeda et al.	D12/142
D. 247,109	1/1978	Jamain	D12/148
D. 248,227	6/1978	Jamain	D12/146
D. 248,292	6/1978	Maeda et al.	D12/142
D. 254,542	3/1980	Hitzky	D12/151
D. 254,784	4/1980	Sakaki	D12/145
D. 261,492	10/1981	Remy	D12/143
D. 261,496	10/1981	Remy	D12/143
D. 263,694	4/1982	Arendt	D12/143
D. 269,005	5/1983	Hammond et al.	D12/143
D. 269,337	6/1983	Maeda et al.	D12/146
D. 269,338	6/1983	Kojima et al.	D12/147
D. 269,865	7/1983	Tomoda	D12/143
D. 277,468	2/1985	Nagayasu	D12/147
D. 278,223	4/1985	Kojima et al.	D12/147
D. 278,224	4/1985	Nakamura et al.	D12/151
D. 279,088	6/1985	Giron	D12/147
D. 279,178	6/1985	Nakamura et al.	D12/151

[57] **CLAIM**

The ornamental design for a tire tread, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a tire tread, it being understood that the tread pattern repeats uniformly throughout the circumference of the tread;

FIG. 2 is a front elevational view thereof;


FIG. 3 is a side elevational view thereof the opposite side elevational view being identical thereto;

FIG. 4 is an enlarged fragmentary front view thereof; and,

FIG. 5 is a front elevational view of another embodiment thereof, it being understood that the tread pattern repeats uniformly throughout the circumference of the tread and that the sides of the tread are the same as the first embodiment, as shown in FIG. 3.

In the drawings, the broken lines defining the inner bead of the tire, the tire sidewall and the peripheral boundary between the tire tread and the sidewall are for illustrative purposes only and form no part of the claimed design.

1 Claim, 5 Drawing Sheets



U.S. PATENT DOCUMENTS

D. 288,307	2/1987	Ono	D12/146	D. 327,042	6/1992	Koyama	D12/149
D. 289,027	3/1987	Diensthuber	D12/147	D. 328,578	8/1992	Cormier et al.	D12/146
D. 291,793	9/1987	Clemens	D12/147	D. 329,217	9/1992	Ota et al.	D12/146
D. 292,786	11/1987	Schoonhoven	D12/147	D. 334,362	3/1993	Stone et al.	D12/147
D. 294,687	3/1988	Stelzer	D12/142	D. 334,363	3/1993	Grenie	D12/147
D. 294,812	3/1988	Takeuchi	D12/146	D. 334,365	3/1993	Enterline	D12/147
D. 294,815	3/1988	Nagayasu	D12/147	D. 334,369	3/1993	Christenbury	D12/140
D. 294,929	3/1988	Clemens	D12/147	D. 334,370	3/1993	White	D12/140
D. 294,930	3/1988	Slagh	D12/147	D. 334,371	3/1993	Hodges	D12/140
D. 297,723	9/1988	Corner	D12/147	D. 340,013	10/1993	Downey et al.	D12/147
D. 299,328	1/1989	Lyle et al.	D12/146	D. 340,014	10/1993	Grenie et al.	D12/147
D. 299,329	1/1989	Wallet et al.	D12/146	D. 345,327	3/1994	Ota et al.	D12/146
D. 299,332	1/1989	Carretta	D12/147	D. 345,951	4/1994	Guspodin et al.	D12/147
D. 300,015	2/1989	Cottrell	D12/147	D. 345,952	4/1994	Christenbury	D12/147
D. 301,857	6/1989	Clunk et al.	D12/147	D. 347,812	6/1994	Simpson	D12/146
D. 303,944	10/1989	Himuro et al.	D12/146	D. 348,639	7/1994	Matsushita et al.	D12/147
D. 304,558	11/1989	Fukumoto	D12/146	D. 348,863	7/1994	Narabayashi et al.	D12/146
D. 306,846	3/1990	Guspodin	D12/146	D. 348,864	7/1994	Hashimura	D12/147
D. 308,188	5/1990	Hinrichsen et al.	D12/146	D. 349,081	7/1994	Downey et al.	D12/147
D. 308,189	5/1990	Hinrichsen et al.	D12/147	D. 350,090	8/1994	Sugimoto	D12/146
D. 309,723	8/1990	Nock et al.	D12/146	D. 350,316	9/1994	Sulkowski	D12/147
D. 311,366	10/1990	Kuroda	D12/147	D. 350,317	9/1994	Evraert	D12/147
D. 313,383	1/1991	Enoki	D12/142	D. 350,713	9/1994	Emerson	D12/143
D. 313,581	1/1991	Goto et al.	D12/146	D. 350,925	9/1994	Manestar	D12/147
D. 316,692	5/1991	Fukumoto	D12/146	D. 350,927	9/1994	Manestar	D2/147
D. 317,741	6/1991	Kuroda	D12/147	D. 350,929	9/1994	Attinello et al.	D12/147
D. 323,310	1/1992	Nakatani	D12/146	D. 351,126	10/1994	Manestar	D12/146
D. 326,074	5/1992	Himuro et al.	D12/147	D. 354,025	1/1995	McKisson	D12/146
D. 326,252	5/1992	Slagh	D12/147	D. 354,027	1/1995	Grosskopf	D12/146
				D. 354,031	1/1995	McKisson	D12/147




FIG-1




FIG-2




FIG-3




FIG-4




FIG-5