



US00D383725S

**United States Patent** [19]  
**Settsu**

[11] **Patent Number: Des. 383,725**

[45] **Date of Patent: \*\*Sep. 16, 1997**

[54] **BATTERY**

[75] **Inventor: Masanori Settsu, Fukuoka, Japan**

[73] **Assignee: Matsushita Electric Industrial Co., Ltd., Osaka, Japan**

[\*\*] **Term: 14 Years**

[21] **Appl. No.: 47,968**

[22] **Filed: Dec. 18, 1995**

[51] **LOC (6) Cl. .... 13-02**

[52] **U.S. Cl. .... D13/103**

[58] **Field of Search .... D13/101, 102, D13/103, 104, 107, 108; 429/96-100, 163, 175, 176, 181, 187**

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 229,195	11/1973	Goodale et al. ....	D13/103
D. 264,580	5/1982	McKeeman ....	D13/103
D. 293,097	12/1987	Alligood et al. ....	D13/103
D. 304,439	11/1989	Mitchell et al. ....	D13/103
4,880,712	11/1989	Gordecki ....	429/97
5,206,098	4/1993	Cho et al. ....	429/96

**FOREIGN PATENT DOCUMENTS**

808998	3/1991	Japan .
817369	8/1991	Japan .
869634	5/1993	Japan .

*Primary Examiner*—A. Hugo Word  
*Assistant Examiner*—Robin V. Taylor  
*Attorney, Agent, or Firm*—Sughrue, Mion, Zinn, Macpeak & Seas


[57] **CLAIM**

The ornamental design for a battery, as shown.


**DESCRIPTION**

FIG. 1 is a perspective view of the top, front and left side of a battery showing my new design;  
FIG. 2 is a perspective view of the rear, bottom and left side thereof;  
FIG. 3 is a front elevational view thereof;  
FIG. 4 is a rear elevational view thereof;  
FIG. 5 is a top plan view thereof;  
FIG. 6 is a bottom plan view thereof;  
FIG. 7 is a left side elevational view thereof; and,  
FIG. 8 is a right side elevational view thereof.


**1 Claim, 5 Drawing Sheets**




*Fig. 1*




*Fig. 2*




*Fig. 3*




*Fig. 4*




*Fig. 5*



*Fig. 6*



*Fig. 7*



*Fig. 8*

