



US00D383862S

United States Patent [19]
Ruminski

[11] **Patent Number:** **Des. 383,862**
[45] **Date of Patent:** ****Sep. 16, 1997**

[54] **TURN SIGNAL**

[76] **Inventor:** **Stanely Ruminski**, 760 Cambridge Dr.,
Burr Ridge, Ill. 60521

[**] **Term:** **14 Years**

[21] **Appl. No.:** **58,093**

[22] **Filed:** **Aug. 7, 1996**

[51] **LOC (6) Cl.** **26-06**

[52] **U.S. Cl.** **D26/31**

[58] **Field of Search** D26/28-35; 340/468-476;
362/61, 80, 80.1, 80.2, 81, 82, 83, 83.7,
83.3

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 284,515	7/1986	Beard et al.	D26/31
D. 319,888	9/1991	Brandon	D26/31
D. 320,666	10/1991	Brandon	D26/31

Primary Examiner—Marcus A. Jackson
Attorney, Agent, or Firm—Wheeler Kromholz & Manion

[57] **CLAIM**

The ornamental design for a turn signal, as shown and described.

DESCRIPTION

FIG. 1 is a rear elevational view of the turn signal;

FIG. 2 is a right side elevational view of the turn signal, with the wires broken away to indicate indeterminate length;

FIG. 3 is a left side elevational view of the turn signal;

FIG. 4 is a top plan view of the turn signal;

FIG. 5 is a bottom plan view of the turn signal;

FIG. 6 is a rear elevational view of the turn signal;

FIGS. 7 through 12 disclose an alternative design of the present turn signal;

FIG. 7 is a rear elevational view of the alternative design turn signal;

FIG. 8 is a right side elevational view of the alternative design turn signal;



FIG. 9 is a left side elevational view of the alternative design turn signal;

FIG. 10 is a top plan view of the alternative design turn signal;

FIG. 11 is a bottom plan view of the alternative design turn signal; and,

FIG. 12 is a rear elevational view of the alternative design turn signal.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : Des. 383,862
DATED : 16 September 1997
INVENTOR(S) : Stanley Ruminski

It is certified that error appears in the above-identified patent and that said Letters Patent are hereby corrected as shown below:

The description of Figure 1 should be revised as follows:
delete "rear" and insert -- front --.

The description of Figure 12 should be revised as follows:
delete "rear" and insert -- front --.

The name of the inventor should be revised as follows"
delete "Stanely" and insert -- Stanley --.

Signed and Sealed this
Fifteenth Day of May, 2001



Attest:

NICHOLAS P. GODICI

Attesting Officer

Acting Director of the United States Patent and Trademark Office