



US00D383962S

# United States Patent [19]

Daley et al.

[11] Patent Number: Des. 383,962

[45] Date of Patent: \*\*Sep. 23, 1997

[54] **MODELERS KNIFE**

[75] Inventors: **Philip B. Daley**, Statesville, N.C.; **Eric P. Chan**, New York, N.Y.

[73] Assignee: **Hunt Holdings, Inc.**, Wilmington, Del.

[\*\*] Term: **14 Years**

[21] Appl. No.: **45,299**

[22] Filed: **Oct. 17, 1995**

[51] LOC (6) Cl. .... **08-03**

[52] U.S. Cl. .... **D8/98; D19/35**

[58] **Field of Search** ..... D19/35, 36, 65,  
D19/99, 100; D8/98, 99, 102, 105, 107;  
401/52, 195; 30/161, 162, 329-340

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 138,875	9/1944	Weiss	.....	D8/98
D. 155,561	10/1949	Weiss	.....	D8/98
D. 166,172	3/1952	Bureau	.....	D22/3
D. 210,266	2/1968	Dunne	.....	D8/98
D. 278,969	5/1985	Johnson	.....	D8/98
D. 317,396	6/1991	Bacigalupo	.....	D8/98
D. 341,623	11/1993	Chuang	.....	D19/56 X
2,045,192	6/1936	Kuhar	.....	30/9
2,493,128	1/1950	Fulkerson	.....	30/169
2,650,426	9/1953	Montelius	.....	30/339
2,741,028	4/1956	Carter	.....	30/329
4,071,952	2/1978	Meshulam	.....	30/151
4,817,284	4/1989	Sacherman	.....	30/329
4,960,419	10/1990	Rosenberg	.....	606/37

**OTHER PUBLICATIONS**

Toys and Novelties, Jan. 1946, p. 239, see knife right side of page.

Hunt, XACTO ® GRIPSTER™ product brochure dated 1988.

*Primary Examiner*—Martie Thompson

*Attorney, Agent, or Firm*—Synnestvedt & Lechner

[57] **CLAIM**

The ornamental design for a modelers knife, as shown and described.

**DESCRIPTION**

FIG. 1 is a blade-end perspective view of a modelers knife showing our new design;

FIG. 2 is a blade-end view of FIG. 1;

FIG. 3 is a handle-end view of FIG. 1;

FIG. 4 is a side elevational view of FIG. 1;

FIG. 5 is a side elevation view in which the modelers knife has been rotated axially 90 ° from FIG. 4 in a clockwise direction from the perspective of the handle-end;


FIG. 6 is a side elevational view in which the modelers knife has been rotated axially 90 ° from FIG. 5 in a clockwise direction;

FIG. 7 is a side elevational view in which the modelers knife has been rotated axially 90 ° from FIG. 6 in a clockwise direction;


FIG. 8 is a handle-end perspective view of FIG. 1; and,

FIG. 9 is a blade-end perspective view of the modelers knife with the cap removed from the blade and in alignment with the handle-end in the process of being attached thereto.


**1 Claim, 5 Drawing Sheets**




**FIG. 1**




**FIG. 2**




**FIG. 3**




**FIG. 4**




**FIG. 5**




**FIG. 6**



**FIG. 7**



**FIG. 8**



**FIG. 9**

