

US00D384013S

# United States Patent [19]

Thomas

[11] Patent Number: **Des. 384,013**

[45] Date of Patent: **\*\*Sep. 23, 1997**

[54] **ALL TERRAIN TIRE**

[76] Inventor: **Dan Thomas**, 43 E. Industrial Pky., Spanish Fork, Utah 84660

[\*\*] Term: **14 Years**

[21] Appl. No.: **54,355**

[22] Filed: **May 13, 1996**

[51] LOC (6) Cl. .... **12-15**

[52] U.S. Cl. .... **D12/147**

[58] Field of Search ..... D12/136, 138, D12/140, 146-151; 152/209 B, 209 D, 209 R

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 305,527	1/1990	Igarashi	.....	D12/129
D. 305,528	1/1990	Igarashi	.....	D12/149
D. 316,689	5/1991	Fujiki	.....	D12/140
D. 323,135	1/1992	Thomas	.....	D12/136

**FOREIGN PATENT DOCUMENTS**

835267 12/1938 France ..... 159/209 B

**OTHER PUBLICATIONS**

Dunlop KT955 Tire, Tread Design Guide, p. 211 Jan. 1994.  
Multi-Mile Power King Radial Traction LT Tire, Tread Design Guide, p. 107 Jan. 1995.

Maxxis All Trak C-9209 ATV Tire, Tread Design Guide, p. 217 Jan. 1995.

1989 Tread Design Guide, p. 110, Dick Cepek Three Wheeler Tire and Spider Trac Tire, third row down from top left and right sides of page respectively.

*Primary Examiner*—B. J. Bullock  
*Assistant Examiner*—Robert M. Spear  
*Attorney, Agent, or Firm*—Madson & Metcalf

[57] **CLAIM**

The ornamental design for an all terrain tire, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of an all terrain tire showing my new design, it being understood that the tread pattern is repeated uniformly throughout the circumference of the tire and the opposite side is the same as that shown; and,

FIG. 2 is a front elevational view thereof.

**1 Claim, 2 Drawing Sheets**






FIG. 1




FIG. 2