



US00D384031S

United States Patent [19]

[11] Patent Number: **Des. 384,031**

Lui

[45] Date of Patent: ****Sep. 23, 1997**

[54] **BATTERY PACK**

[75] Inventor: **Tat Nin Lui, Hong Kong, Hong Kong**

[73] Assignee: **Choon Nang Electrical Appliance Mfty., Ltd., Hong Kong**

[**] Term: **14 Years**

[21] Appl. No.: **48,466**

[22] Filed: **Dec. 29, 1995**

[30] **Foreign Application Priority Data**

Jul. 5, 1995 [GB] United Kingdom 2048618

[51] LOC (6) Cl. **13-02**

[52] U.S. Cl. **D13/103**

[58] Field of Search D13/101-104,
D13/107, 108; 429/96-100, 163, 175, 176,
181, 187

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 301,229 5/1989 Weimann D13/103

D. 306,851	3/1990	Weimann	D13/103
D. 313,391	1/1991	Pudwill	D13/103
D. 334,012	3/1993	Chen	D13/103
D. 335,277	5/1993	Hattori	D13/103
D. 358,126	5/1995	Sakuma	D13/103

Primary Examiner—A. Hugo Word
Assistant Examiner—Robin V. Taylor
Attorney, Agent, or Firm—Gunn, Lee & Miller, P.C.


[57] **CLAIM**

The ornamental design for a battery pack, as shown and described.

DESCRIPTION

FIG. 1 is a top, front and right side perspective view of a battery pack showing my new design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a rear elevational view thereof;
FIG. 4 is a right side elevational view thereof (left side corresponds);
FIG. 5 is a top plan view thereof; and,
FIG. 6 is a bottom plan view thereof.

1 Claim, 2 Drawing Sheets






FIG. 1




FIG. 5




FIG. 6




FIG. 2




FIG. 4




FIG. 3