



US00D384077S

United States Patent [19]

[11] Patent Number: **Des. 384,077**

Frasse

[45] Date of Patent: ****Sep. 23, 1997**

[54] **MICROPHONE HOLDER**

[76] Inventor: **John F. Frasse**, 222 W. Shore Dr.,
Massapequa, N.Y. 11758

[**] Term: **14 Years**

[21] Appl. No.: **53,056**

[22] Filed: **Apr. 16, 1996**

Related U.S. Application Data

[63] Continuation-in-part of Ser. No. 43,721, Aug. 21, 1995.

[51] LOC (6) Cl. **14-01**

[52] U.S. Cl. **D14/229**

[58] Field of Search D3/905; D6/567;
D7/701, 707-708; D8/373; 248/200, 247,
300, 301, 309.1, 311.2

[56] References Cited

U.S. PATENT DOCUMENTS

D. 180,746	8/1957	Oslac	D14/224
D. 288,998	3/1987	Wiggins	D6/567 X
D. 293,203	12/1987	Hertensteiner	D8/349 X
D. 294,548	3/1988	Wallace	D6/567
D. 297,111	8/1988	Thompson et al.	D8/373
1,225,525	5/1917	Sweet	248/300 X
5,025,936	6/1991	Lamoureaux	D6/567 X

Primary Examiner—Sandra L. Morris

Assistant Examiner—Nanda Bondade

Attorney, Agent, or Firm—Brumbaugh, Graves, Donohue &
Raymond

[57] CLAIM

The ornamental design for a microphone holder, as shown and described.

DESCRIPTION

FIG. 1 is an orthogonal projection view of an embodiment of the microphone holder of the present invention;

FIG. 2 is a top plan view of the embodiment of the microphone holder of FIG. 1;

FIG. 3 is a front elevation view of the embodiment of the microphone holder of FIG. 1;

FIG. 4 is a bottom plan view of the embodiment of the microphone holder of FIG. 1;

FIG. 5 is a rear elevation view of the embodiment of the microphone holder of FIG. 1; and,

FIG. 6 is a side view of the embodiment of the microphone holder of FIG. 1, the opposite side being a mirror image.

The broken line showing of the microphones and wires on FIG. 1, is for illustrative purposes only and forms no part of the claimed design.

1 Claim, 2 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

