



US00D384230S

# United States Patent [19]

Edwards et al.

[11] Patent Number: **Des. 384,230**

[45] Date of Patent: **\*\*Sep. 30, 1997**

[54] **TOP FOR A MOBILE STORAGE UNIT**

[75] Inventors: **John R. Edwards, Nobleton; Conrad Mark Marini, Woodbridge, both of Canada**

[73] Assignee: **Hollanding Inc., Newmarket, Canada**

[\*\*] Term: **14 Years**

[21] Appl. No.: **53,678**

[22] Filed: **Apr. 29, 1996**

[30] **Foreign Application Priority Data**

Mar. 18, 1996 [CA] Canada ..... 1996-0644

[51] LOC (6) Cl. .... **06-06**

[52] U.S. Cl. .... **D6/511; D19/78; D34/27**

[58] Field of Search ..... **D15/89; D19/78, D19/92; D6/509-511; D3/302, 318; D14/251; D9/431; D34/27; 206/371, 8, 214, 224; 220/763, 772, 761, 766, 23.4, 23.83; 16/112; 70/58; 280/47.34, 47.35; 248/128**

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 230,089	1/1974	Shanks	.....	D15/89
D. 266,772	11/1982	Sayers	.....	D19/92
D. 291,267	8/1987	Canter	.....	D6/511
D. 329,875	9/1992	Stern et al.	.....	D19/92
D. 330,045	10/1992	Dietterich et al.	.....	D3/302 X
D. 337,046	7/1993	Fuller et al.	.....	D9/431
D. 340,339	10/1993	Kean et al.	.....	D34/27
D. 350,646	9/1994	Bescher	.....	D3/318

D. 362,572	9/1995	Joseph, Jr.	.....	D19/92 X
D. 363,492	10/1995	Brussing	.....	D14/251
D. 374,323	10/1996	Carlson et al.	.....	D34/27
3,438,480	4/1969	Chabrelot	.....	206/8
4,387,824	6/1983	Wefers	.....	220/23.4
4,512,503	4/1985	Gioso	.....	206/371 X
4,775,072	10/1988	Lundblade	.....	220/766
4,801,034	1/1989	Sandomeno	.....	220/23.83
4,875,696	10/1989	Welch	.....	280/47.34
4,915,233	4/1990	Smith	.....	220/763 X
5,044,644	9/1991	Duran	.....	280/47.35
5,075,925	12/1991	Maloney	.....	16/112
5,082,631	1/1992	Lenmark, Sr. et al.	.....	220/772
5,103,969	4/1992	Tarozzi	.....	220/763 X
5,216,904	6/1993	Isaki	.....	70/58

Primary Examiner—Jeffrey Asch  
Attorney, Agent, or Firm—Riches, McKenzie & Herbert


[57] **CLAIM**

The ornamental design for a top for a mobile storage unit, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a top for a mobile storage unit showing our new design;  
FIG. 2 is a top view thereof;  
FIG. 3 is a bottom view thereof;  
FIG. 4 is a first side view thereof;  
FIG. 5 is a second, opposite side view thereof;  
FIG. 6 is a rear view thereof;  
FIG. 7 is a front view thereof; and,  
FIG. 8 is a perspective view thereof with the handle in an alternate position for use.

**1 Claim, 3 Drawing Sheets**






FIG. 1.




FIG. 2.




FIG. 3.



FIG. 4.



FIG. 5.



FIG. 6.



FIG. 7.






FIG. 8.