



US00D384301S

United States Patent [19] Gusky

[11] Patent Number: **Des. 384,301**
[45] Date of Patent: ****Sep. 30, 1997**

[54] **JEWELRY PENDANT**

[75] Inventor: **Michael Gusky**, Fort Lauderdale, Fla.

[73] Assignee: **Aurafin Corporation**

[**] Term: **14 Years**

[21] Appl. No.: **47,769**

[22] Filed: **Dec. 12, 1995**

[51] LOC (6) Cl. **11-01**

[52] U.S. Cl. **D11/81**

[58] Field of Search **D11/1-2, 6-8,
D11/40-44, 46-48, 79-116, 61; 63/1.1,
2, 20, 18, 13**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 46,369	9/1914	Ramey	D11/81
D. 98,707	2/1936	Anderson	D11/81
D. 101,105	9/1936	Chernow	D11/61
D. 114,580	5/1939	Shields	D11/79
D. 229,301	11/1973	Patterson	D1/81
D. 249,936	10/1978	Lohan	D11/61
D. 266,748	11/1982	Vandoni	D11/61
D. 987,708	2/1936	Anderson	D11/81
2,689,423	9/1954	Atkin	40/1.6

Primary Examiner—Ralf Seifert

Attorney, Agent, or Firm—Malin, Haley, DiMaggio & Crosby, P.A.

[57] **CLAIM**

The ornamental design of the a jewelry pendant, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the letter "E" embodiment of the present invention;

FIG. 2 is a left side elevational view of all embodiments of the present invention which is identical to the right side elevational view of all embodiments;

FIG. 3 is a front elevational view of the letter "A" embodiment which is identical to the rear elevational view, top plan view and bottom plan view of this embodiment;

FIG. 4 is a front elevational view of the letter "B" embodiment which is identical to the rear elevational view, top plan view and bottom plan view of this embodiment;

FIG. 5 is a front elevational view of the letter "C" embodiment which is identical to the rear elevational view, top plan view and bottom plan view of this embodiment;

FIG. 6 is a front elevational view of the letter "D" embodiment which is identical to the rear elevational view, top plan view and bottom plan view of this embodiment;

FIG. 7 is a front elevational view of the letter "E" embodiment which is identical to the rear elevational view, top plan view and bottom plan view of this embodiment;

FIG. 8 is a front elevational view of the letter "F" embodiment which is identical to the rear elevational view, top plan view and bottom plan view of this embodiment;

FIG. 9 is a front elevational view of the letter "G" embodiment which is identical to the rear elevational view, top plan view and bottom plan view of this embodiment;

FIG. 10 is a front elevational view of the letter "H" embodiment which is identical to the rear elevational view, top plan view and bottom plan view of this embodiment;

FIG. 11 is a front elevational view of the letter "I" embodiment which is identical to the rear elevational view, top plan view and bottom plan view of this embodiment;

FIG. 12 is a front elevational view of the letter "J" embodiment which is identical to the rear elevational view, top plan view and bottom plan view of this embodiment;

FIG. 13 is a front elevational view of the letter "K" embodiment which is identical to the rear elevational view, top plan view and bottom plan view of this embodiment;

FIG. 14 is a front elevational view of the letter "L" embodiment which is identical to the rear elevational view, top plan view and bottom plan view of this embodiment;

FIG. 15 is a front elevational view of the letter "M" embodiment which is identical to the rear elevational view, top plan view and bottom plan view of this embodiment;

FIG. 16 is a front elevational view of the letter "N" embodiment which is identical to the rear elevational view, top plan view and bottom plan view of this embodiment;

FIG. 17 is a front elevational view of the letter "O" embodiment which is identical to the rear elevational view, top plan view and bottom plan view of this embodiment;

FIG. 18 is a front elevational view of the letter "P" embodiment which is identical to the rear elevational view, top plan view and bottom plan view of this embodiment;




FIG. 19 is a front elevational view of the letter "Q" embodiment which is identical to the rear elevational view, top plan view and bottom plan view of this embodiment;
FIG. 20 is a front elevational view of the letter "R" embodiment which is identical to the rear elevational view, top plan view and bottom plan view of this embodiment;
FIG. 21 is a front elevational view of the letter "S" embodiment which is identical to the rear elevational view, top plan view and bottom plan view of this embodiment;
FIG. 22 is a front elevational view of the letter "T" embodiment which is identical to the rear elevational view, top plan view and bottom plan view of this embodiment;
FIG. 23 is a front elevational view of the letter "U" embodiment which is identical to the rear elevational view, top plan view and bottom plan view of this embodiment;
FIG. 24 is a front elevational view of the letter "V" embodiment which is identical to the rear elevational view, top plan view and bottom plan view of this embodiment;
FIG. 25 is a front elevational view of the letter "W" embodiment which is identical to the rear elevational view, top plan view and bottom plan view of this embodiment;
FIG. 26 is a elevational view of the letter "X" embodiment which is identical to the rear elevational view, top plan view and bottom plan view of this embodiment;
FIG. 27 is a front elevational view of the letter "Y" embodiment which is identical to the rear elevational view, top plan view and bottom plan view of this embodiment;
FIG. 28 is a front elevational view of the letter "Z" embodiment which is identical to the rear elevational view, top plan view and bottom plan view of this embodiment;
FIG. 29 is a perspective view of the letter "A" embodiment of the present invention;
FIG. 30 is a perspective view of the letter "B" embodiment of the present invention;
FIG. 31 is a perspective view of the letter "C" embodiment of the present invention;
FIG. 32 is a perspective view of the letter "D" embodiment of the present invention;
FIG. 33 is a perspective view of the letter "F" embodiment of the present invention;
FIG. 34 is a perspective view of the letter "G" embodiment of the present invention;

FIG. 35 is a perspective view of the letter "H" embodiment of the present invention;
FIG. 36 is a perspective view of the letter "I" embodiment of the present invention;
FIG. 37 is a perspective view of the letter "J" embodiment of the present invention;
FIG. 38 is a perspective view of the letter "K" embodiment of the present invention;
FIG. 39 is a perspective view of the letter "L" embodiment of the present invention;
FIG. 40 is a perspective view of the letter "M" embodiment of the present invention;
FIG. 41 is a perspective view of the letter "N" embodiment of the present invention;
FIG. 42 is a perspective view of the letter "O" embodiment of the present invention;
FIG. 43 is a perspective view of the letter "P" embodiment of the present invention;
FIG. 44 is a perspective view of the letter "Q" embodiment of the present invention;
FIG. 45 is a perspective view of the letter "R" embodiment of the present invention;
FIG. 46 is a perspective view of the letter "S" embodiment of the present invention;
FIG. 47 is a perspective view of the letter "T" embodiment of the present invention;
FIG. 48 is a perspective view of the letter "U" embodiment of the present invention;
FIG. 49 is a perspective view of the letter "V" embodiment of the present invention;
FIG. 50 is a perspective view of the letter "W" embodiment of the present invention;
FIG. 51 is a perspective view of the letter "X" embodiment of the present invention;
FIG. 52 is a perspective view of the letter "Y" embodiment of the present invention; and,
FIG. 53 is a perspective view of the letter "Z" embodiment of the present invention.

1 Claim, 10 Drawing Sheets




Fig. 1




Fig. 7




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13




Fig. 14




Fig. 15




Fig. 16




Fig. 17




Fig. 18




Fig. 19




Fig. 20




Fig. 21




Fig. 22




Fig. 23




Fig. 24




Fig. 25




Fig. 26




Fig. 27




Fig. 28

Fig. 53




Fig. 29




Fig. 30




Fig. 31




Fig. 32




Fig. 33




Fig. 34




Fig. 35




Fig. 36




Fig. 37




Fig. 38




Fig. 39




Fig. 40




Fig. 41




Fig. 42




Fig. 43




Fig. 44




Fig. 45




Fig. 46




Fig. 47




Fig. 48




Fig. 49




Fig. 50




Fig. 51




Fig. 52

