



US00D384309S

United States Patent [19]
Heinen

[11] **Patent Number:** **Des. 384,309**
[45] **Date of Patent:** ****Sep. 30, 1997**

[54] **TIRE TREAD**

[75] **Inventor:** **Richard Heinen, Habay-la-Neuve, Belgium**

[73] **Assignee:** **The Goodyear Tire & Rubber Company, Akron, Ohio**

[**] **Term:** **14 Years**

[21] **Appl. No.:** **47,174**

[22] **Filed:** **Nov. 28, 1995**

[51] **LOC (6) Cl.** **12-15**

[52] **U.S. Cl.** **D12/147**

[58] **Field of Search** **D12/141-143, D12/146-148; 152/209 R, 209 D**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 272,815 2/1984 Hatakenaka .
D. 277,272 1/1985 Sladky et al. .
D. 278,221 4/1985 Kojima et al. .
D. 283,609 4/1986 Kawabata et al. .
D. 283,996 5/1986 Kuramochi et al. .
D. 284,178 6/1986 Kawabata et al. .
D. 287,236 12/1986 Yonekura et al. .
D. 287,349 12/1986 Yonekura et al. .
D. 287,352 12/1986 Cain .
D. 287,706 1/1987 Takeuchi .
D. 287,841 1/1987 Ono .
D. 287,842 1/1987 Hatakenaka .
D. 288,079 2/1987 Takehara .
D. 288,191 2/1987 Nakagawa et al. .
D. 292,786 11/1987 Schoonhoven .
D. 293,664 1/1988 Hayakawa et al. .
D. 294,814 3/1988 Nakatani .
D. 301,024 5/1989 Himuro et al. .
D. 301,132 5/1989 Himuro et al. .
D. 301,445 6/1989 Terada .
D. 302,961 8/1989 Gray .
D. 303,363 9/1989 Graas et al. D12/147
D. 303,364 9/1989 Graas et al. D12/147
D. 304,434 11/1989 Schuller .
D. 304,918 12/1989 Hinrichsen .
D. 307,120 4/1990 Ingley et al. .
D. 307,407 4/1990 Minamitani .
D. 308,189 5/1990 Hinrichsen et al. .

D. 311,885 11/1990 Himuro et al. .
D. 312,063 11/1990 Covert et al. D12/147
D. 313,209 12/1990 Minamitani et al. .
D. 316,385 4/1991 Marriott .
D. 316,532 4/1991 Tsuda et al. .

(List continued on next page.)

FOREIGN PATENT DOCUMENTS

930444 6/1994 Norway .
93-0557 9/1993 Sweden .

OTHER PUBLICATIONS

Marshal Power Racer 767 tire, 1994 *Tread Design Guide*, p. 39. Third row, second from right.
Remindton XT120 Touring tire, 1994 *Tread Design Guide*, p. 53. Tow row, center.
Sears Pirelli HP tire, 1994 *Tread Design Guide*, p. 55. Top row, far left.
Cooper Rain-Master tire, 1995 *Tread Design Guide*, p. 17. Second row, second from left.

Primary Examiner—James Gandy
Assistant Examiner—Robert M. Spear
Attorney, Agent, or Firm—T. P. Lewandowski


[57] **CLAIM**

The ornamental design for a tire tread, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a tire tread, it being understood that the pattern is repeated uniformly throughout the circumference of the tread;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a side elevational view thereof, the opposite side elevational view being identical thereto; and,
FIG. 4 is an enlarged fragmentary front view thereof.
The dark stippled surface shading in the drawings represents the recessed portion of the tread grooves, having a depth as best seen in FIG. 2.
The broken line showing of the tire sidewall in the drawings is for illustrative purposes only and forms no part of the claimed design.

1 Claim, 4 Drawing Sheets



U.S. PATENT DOCUMENTS

D. 316,692	5/1991	Fukumoto .	
D. 317,145	5/1991	Iwamura .	
D. 326,071	5/1992	Enoki et al. .	
D. 328,583	8/1992	Graas et al.	D12/147
D. 329,031	9/1992	Lassan .	
D. 331,035	11/1992	Suzuki .	
D. 332,767	1/1993	Tsuda et al. .	
D. 333,287	2/1993	Slingluff et al. .	
D. 335,643	5/1993	Hino .	
D. 335,841	5/1993	Caretta et al. .	
D. 336,268	6/1993	Bondini .	
D. 340,211	10/1993	Himuro et al. .	
D. 340,896	11/1993	Kernen .	
D. 344,704	3/1994	Himuro et al. .	
D. 344,918	3/1994	Graas	D12/147
D. 347,607	6/1994	Montag et al. .	
D. 348,862	7/1994	Daisho et al. .	
D. 349,477	8/1994	Shinohara et al. .	
D. 350,930	9/1994	Sugimoto .	
D. 354,026	1/1995	McKisson .	
D. 354,725	1/1995	McKisson .	
5,078,190	1/1992	Wissbrock et al. .	
5,198,047	3/1993	Graas et al.	152/209




FIG-1




FIG-2




FIG-3




FIG-4