



US00D384384S

United States Patent [19]

[11] Patent Number: **Des. 384,384**

Lu et al.

[45] Date of Patent: ****Sep. 30, 1997**

[54] **BOOT AND FRAME FOR IN-LINE ROLLER SKATE**

[76] Inventors: **Jinny Lu**, c/o Hung Hsing Patent Service Center P.O. Box 55-1670, Taipei (10477); **Ming-Ho Chou**, c/o Hung Hsing Patent Service Center P.O. Box 55-1670, Taipei (104), both of Taiwan

[**] Term: **14 Years**

[21] Appl. No.: **56,703**

[22] Filed: **Jul. 8, 1996**

[51] LOC (6) Cl. **21-02**

[52] U.S. Cl. **D21/226**

[58] Field of Search D21/224-228; D2/904, 946; 280/11.19, 11.2, 11.22, 11.26, 11.27, 809, 811; 36/115, 88, 89, 50.1

[56] **References Cited**

U.S. PATENT DOCUMENTS

- D. 341,863 11/1993 Cavasin D21/226
- D. 355,523 2/1995 Losi, II D2/904
- D. 364,909 12/1995 Chen D21/226

- D. 365,617 12/1995 Chen D21/226
- D. 365,866 1/1996 Cheng D21/226
- D. 368,507 4/1996 Losi, II D21/226
- D. 369,396 4/1996 Losi, II D21/226
- 5,357,695 10/1994 Lu 36/115
- 5,536,025 7/1996 Landay 280/11.22

Primary Examiner—Raphael Barkai

[57] **CLAIM**

The ornamental design for boot and frame for in-line roller skate, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a boot and frame for in-line roller skate showing my new design; FIG. 2 is a front elevational view; FIG. 3 is a rear elevational view; FIG. 4 is a left side elevational view; FIG. 5 is a right side elevational view; FIG. 6 is a top plan view; FIG. 7 is a bottom plan view; and, FIG. 8 is a perspective view of a boot and frame for in-line roller skate when removing the buckle straps fastened on the device as shown in FIG. 1, the buckle straps are not shown for ease of illustration only.

1 Claim, 5 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7



FIG. 8