



US00D384471S

United States Patent [19]

[11] Patent Number: Des. 384,471

Kubsik et al.

[45] Date of Patent: **Sep. 30, 1997

[54] CONVEYOR TRACK

4,951,809	8/1990	Boothe et al.	198/841
5,137,145	8/1992	Clopton	198/860.2
5,178,263	1/1993	Kempen	198/836.1

[75] Inventors: Robert Kubsik, West Bloomfield; Robert Goryca, Farmington Hills; James P. Johnson, Howell; Eric T. Nemeth, Canton, all of Mich.

OTHER PUBLICATIONS

Dahlstrom Metal Mouldings and Shapes, item V41, p. 136 1967.

[73] Assignee: Jervis B. Webb Company, Farmington Hills, Mich.

Reynolds Metal Co. Catalogue, Oct. 1961 p. 13, Item No. D-D, Group 2900.

[**] Term: 14 Years

Reynolds Metal Co. Catalogue, Oct. 1961 p. 27, Item circled in left margin of the page, Group 2900.

[21] Appl. No.: 51,858

Primary Examiner—A. Hugo Word

[22] Filed: Mar. 6, 1996

Assistant Examiner—Robin V. Taylor

[51] LOC (6) Cl. 12-05

Attorney, Agent, or Firm—Dickinson, Wright, Moon, Van Dusen & Freeman

[52] U.S. Cl. D34/29; D25/122

[57] CLAIM

[58] Field of Search D34/28, 29; D25/119-125; 198/851, 837, 838; 52/800.12

The ornamental design for conveyor track, as shown and described.

[56] References Cited

DESCRIPTION

U.S. PATENT DOCUMENTS

D. 209,421	11/1967	Fabian	D34/29
D. 294,865	3/1988	Meshulam	D25/122
D. 298,057	10/1988	Mahnke et al.	D25/122
D. 300,063	2/1989	Sheltra	D25/122
D. 309,817	8/1990	Burkett	D34/29
D. 325,277	4/1992	Abbestam et al.	D34/35
D. 326,403	5/1992	Kleis	D8/349
D. 356,418	3/1995	Makimura	D34/35
D. 359,149	6/1995	Nozaki	D34/29
D. 360,728	7/1995	Nozaki	D34/29
2,303,976	12/1942	Bawcutt et al.	193/2 R
3,009,549	11/1961	Miller	D25/121 X
3,559,585	2/1971	Lempio	104/172
3,644,962	2/1972	Hachtel	D25/122
4,157,751	6/1979	Grundken et al.	198/735
4,420,075	12/1983	Skolik et al.	198/735
4,467,914	8/1984	Trammel et al.	198/861
4,646,905	3/1987	Grundken et al.	198/735
4,733,771	3/1988	Grundken et al.	198/735
4,811,829	3/1989	Nakazawa et al.	198/326
4,838,412	6/1989	Backman	198/838

FIG. 1 is a front elevational view of a conveyor track showing our new design. The rear elevational view of FIG. 1 is identical to FIG. 1;

FIG. 2 is a left side elevational view of FIG. 1. The right side elevational view of FIG. 1 is identical to FIG. 2;

FIG. 3 is a top plan view of FIG. 1;

FIG. 4 is the bottom plan view of FIG. 1;

FIG. 5 is a front elevational view of another embodiment of conveyor track showing our new design wherein the T-shaped protrusion is offset from center. The rear elevational view of FIG. 5 is identical to FIG. 5. The top plan view of FIG. 5 is identical to FIG. 3. The bottom plan view of FIG. 5 is identical to FIG. 4; and,

FIG. 6 is a left side elevational view of FIG. 5. The right side elevational view of FIG. 5 is identical to FIG. 6.

The conveyor track is shown broken away in FIGS. 2, 3, 4, and 6, to represent a continuation of the design uniformly along any length.

1 Claim, 2 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

