

US00D384486S

United States Patent [19]
Herrli

[11] **Patent Number:** **Des. 384,486**
[45] **Date of Patent:** ****Oct. 7, 1997**

[54] **FIREMAN'S BELT**

DESCRIPTION

[76] **Inventor:** **Brian C. Herrli**, P.O. Box 564, Cherry Valley, Ill. 61016

[**] **Term:** **14 Years**

[21] **Appl. No.:** **51,651**

[22] **Filed:** **Mar. 14, 1996**

[51] **LOC (6) Cl.** **02-07**

[52] **U.S. Cl.** **D2/627**

[58] **Field of Search** **D2/627, 624; 2/311, 2/312, 313, 338, 323; D21/191; D3/207, 327; D30/153; D17/20, 99**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 216,075	11/1969	D'elia	D3/327
D. 217,565	5/1970	Renshaw	D3/327
D. 307,671	5/1990	Satterly	D3/207
1,412,033	4/1922	Able	2/323
2,821,168	1/1958	Forbes	2/338 X
2,849,723	9/1958	Marino	2/323
3,672,004	6/1972	Smith	2/323 X

OTHER PUBLICATIONS

Master Animal Care, 1989 O-Ring Collars p. 6.

Primary Examiner—Paula A. Mortimer
Attorney, Agent, or Firm—Douglas B. White

[57] **CLAIM**

The ornamental design for a fireman's belt, as shown and described.

FIG. 1 is a top plan view of a fireman's belt showing my new design in an unbuckled position;

FIG. 2 is a side view of the fireman's belt in the unbuckled position, the other side being reverse thereof;

FIG. 3 is a bottom view of the fireman's belt in the unbuckled position;

FIG. 4 is a right end view of the fireman's belt in the unbuckled position;

FIG. 5 is a left end view of the fireman's belt in the unbuckled position;

FIG. 6 is a front perspective view of the fireman's belt in the buckled position;

FIG. 7 is a rear perspective view of the fireman's belt in the buckled position;

FIG. 8 is a top view of the fireman's belt in the buckled position, the bottom being reverse thereof;

FIG. 9 is a left side view of the fireman's belt in the buckled position;


FIG. 10 is a right side view of the fireman's belt in the buckled position;

FIG. 11 is a front view of the fireman's belt in the buckled position; and,

FIG. 12 is a rear view of the fireman's belt in the buckled position.

The striped exterior appearance of the fireman's belt shown in FIGS. 1, 7, 9, 10 and 12 represents a reflective center stripe separating two adjacent luminescent stripes.

1 Claim, 2 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

FIG. 7




FIG. 9




FIG. 8




FIG. 10



FIG. 11




FIG. 12

