

US00D384486S

**United States Patent** [19]  
**Herrli**

[11] **Patent Number:** **Des. 384,486**  
[45] **Date of Patent:** **\*\*Oct. 7, 1997**

[54] **FIREMAN'S BELT**

**DESCRIPTION**

[76] **Inventor:** **Brian C. Herrli**, P.O. Box 564, Cherry Valley, Ill. 61016

[\*\*] **Term:** **14 Years**

[21] **Appl. No.:** **51,651**

[22] **Filed:** **Mar. 14, 1996**

[51] **LOC (6) Cl.** ..... **02-07**

[52] **U.S. Cl.** ..... **D2/627**

[58] **Field of Search** ..... **D2/627, 624; 2/311, 2/312, 313, 338, 323; D21/191; D3/207, 327; D30/153; D17/20, 99**

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

|            |         |          |       |         |
|------------|---------|----------|-------|---------|
| D. 216,075 | 11/1969 | D'elia   | ..... | D3/327  |
| D. 217,565 | 5/1970  | Renshaw  | ..... | D3/327  |
| D. 307,671 | 5/1990  | Satterly | ..... | D3/207  |
| 1,412,033  | 4/1922  | Able     | ..... | 2/323   |
| 2,821,168  | 1/1958  | Forbes   | ..... | 2/338 X |
| 2,849,723  | 9/1958  | Marino   | ..... | 2/323   |
| 3,672,004  | 6/1972  | Smith    | ..... | 2/323 X |

**OTHER PUBLICATIONS**

Master Animal Care, 1989 O-Ring Collars p. 6.

*Primary Examiner*—Paula A. Mortimer

*Attorney, Agent, or Firm*—Douglas B. White

[57] **CLAIM**

The ornamental design for a fireman's belt, as shown and described.

FIG. 1 is a top plan view of a fireman's belt showing my new design in an unbuckled position;

FIG. 2 is a side view of the fireman's belt in the unbuckled position, the other side being reverse thereof;

FIG. 3 is a bottom view of the fireman's belt in the unbuckled position;

FIG. 4 is a right end view of the fireman's belt in the unbuckled position;

FIG. 5 is a left end view of the fireman's belt in the unbuckled position;

FIG. 6 is a front perspective view of the fireman's belt in the buckled position;

FIG. 7 is a rear perspective view of the fireman's belt in the buckled position;

FIG. 8 is a top view of the fireman's belt in the buckled position, the bottom being reverse thereof;

FIG. 9 is a left side view of the fireman's belt in the buckled position;


FIG. 10 is a right side view of the fireman's belt in the buckled position;

FIG. 11 is a front view of the fireman's belt in the buckled position; and,

FIG. 12 is a rear view of the fireman's belt in the buckled position.

The striped exterior appearance of the fireman's belt shown in FIGS. 1, 7, 9, 10 and 12 represents a reflective center stripe separating two adjacent luminescent stripes.

**1 Claim, 2 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

FIG. 7




FIG. 9




FIG. 8



FIG. 10



FIG. 11




FIG. 12

