



US00D384639S

United States Patent [19]
Kawakami et al.

[11] **Patent Number:** **Des. 384,639**
[45] **Date of Patent:** ****Oct. 7, 1997**

[54] **BATTERY PACK**

[75] **Inventors:** **Takahide Kawakami; Norio Isogai; Youichi Kato**, all of Anjo, Japan

[73] **Assignee:** **Makita Corporation**, Aichi-ken, Japan

[**] **Term:** **14 Years**

[21] **Appl. No.:** **51,515**

[22] **Filed:** **Mar. 12, 1996**

[30] **Foreign Application Priority Data**

Sep. 12, 1995 [JP] Japan 7-27087

[51] **LOC (6) CL.** **13-02**

[52] **U.S. Cl.** **D13/103**

[58] **Field of Search** D13/103; 429/96-100, 429/176, 163

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 304,822 11/1989 Fushiya et al. D13/103
D. 313,391 1/1991 Pudwill D13/103
D. 334,012 3/1993 Chen D13/103
D. 342,479 12/1993 Kimata D13/103
D. 350,111 8/1994 Okumura D13/103

D. 352,698 11/1994 Okumura D13/103
D. 368,067 3/1996 Okumura D13/103

Primary Examiner—Joel Sincavage

Attorney, Agent, or Firm—Dennison, Meserole, Pollack & Scheiner

[57] **CLAIM**

The ornamental design for a battery pack, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a battery pack showing our new design;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a rear elevational view thereof;

FIG. 4 is a left side elevational view thereof;

FIG. 5 is a right side elevational view thereof;


FIG. 6 is a top plan view thereof;

FIG. 7 is a bottom plan view thereof; and,

FIG. 8 is a perspective view of a second embodiment of the battery pack shown in FIG. 1.

All other views of the second embodiment are the same as the first except for the presence of a fourth terminal seen at the forward upper portion of FIG. 8.

1 Claim, 5 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8