

US00D384752S

# United States Patent [19]

Scherer et al.

[11] Patent Number: **Des. 384,752**

[45] Date of Patent: **\*\*Oct. 7, 1997**

[54] SAFETY GATE

[75] Inventors: **Craig S. Scherer, Wilmette; David C. Brown, Chicago; Michael C. Thuma, Desplaines, all of Ill.**

[73] Assignee: **BRK Brands, Inc., Aurora, Ill.**

[\*\*] Term: **14 Years**

[21] Appl. No.: **57,161**

[22] Filed: **Jul. 17, 1996**

[51] LOC (6) Cl. .... **25-02**

[52] U.S. Cl. .... **D25/50**

[58] Field of Search ..... **D25/50; 49/55, 49/50, 465; 256/24**

1,683,204	9/1928	Mills .
1,735,458	11/1929	Gresak .
1,752,683	4/1930	Meagher .
1,798,600	3/1931	Gooch .
1,849,024	3/1932	McKee .
1,961,781	1/1934	Reagle .
2,199,851	5/1940	Culver .
2,295,194	9/1942	Atkinson .
2,348,561	5/1944	Mutch .
2,490,612	12/1949	Ballard .
2,511,372	6/1950	Price .
2,520,664	8/1950	Turner .
2,559,066	7/1951	Diefenbronn .
2,563,446	7/1951	Abel .
2,574,807	9/1951	Woodruff .
2,577,034	4/1951	Quinlan .
2,581,857	1/1952	Harrison .
2,662,242	12/1953	Hess .

(List continued on next page.)

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

139,232	5/1873	Boughton .	
141,677	8/1873	Tuttle .	
235,660	12/1880	Ward .	
D. 301,622	6/1989	Kujawski .....	D25/50
334,676	1/1886	Paulus et al. .	
D. 341,207	11/1993	Freese et al. .	
D. 348,524	7/1994	Young et al. .	
D. 355,261	2/1995	Abrams et al. .	
367,162	7/1887	Peterson .	
498,574	5/1893	Ryan .	
604,411	5/1898	Motley .	
618,725	4/1899	Harwood et al. .	
646,120	3/1900	Gallagher et al. .	
865,404	9/1907	Laurent .	
903,564	11/1908	Haben .	
905,142	12/1908	Bond .	
942,502	12/1909	Jablonovsky .	
1,148,513	8/1915	Hoyt .	
1,238,294	8/1917	Hertz .	
1,241,660	10/1917	Roberts .	
1,332,924	3/1920	Sikorovsky .	
1,335,583	3/1920	Karro .	
1,416,651	5/1922	Lanfair .	
1,438,202	12/1922	Wieland .	
1,450,920	4/1923	Hutchinson .	
1,465,443	8/1923	Josler .	
1,515,454	11/1924	Wilson .	

*Primary Examiner*—Doris Clark  
*Attorney, Agent, or Firm*—Dressler, Rockey, Milnamow & Katz, Ltd.

[57] **CLAIM**

The ornamental design for a safety gate, as shown and described.

**DESCRIPTION**

FIG. 1 is a front perspective view of a safety gate, illustrated in the retracted state, embodying the principles of the present invention;

FIG. 2 is a rear perspective view of a safety gate, illustrated in the retracted state;

FIG. 3 is a top view of the safety gate of FIG. 1;

FIG. 4 is a front view of the safety gate of FIG. 1;

FIG. 5 is a bottom view of the safety gate of FIG. 1;


FIG. 6 is a side view of the safety gate of FIG. 1, as viewed from the right hand side of FIG. 1;

FIG. 7 is a side view of the safety gate of FIG. 1, as viewed from the left hand side of FIG. 1;

FIG. 8 is a rear view of the safety gate of FIG. 1; and,

FIG. 9 is a front perspective view of the safety gate of FIG. 1, with the gate illustrated in the extended state.

**1 Claim, 6 Drawing Sheets**




## U.S. PATENT DOCUMENTS

2,756,469	7/1956	Cattermole et al. .	4,465,262	8/1984	Itri et al. .	
2,803,471	8/1957	Roth .	4,470,277	9/1984	Uyeda .	
2,851,746	9/1958	McPhaden .	4,492,263	1/1985	Gebhard .	
2,896,277	7/1959	Halligan .	4,566,222	1/1986	Hatvany .	
2,928,146	3/1960	Kuniholm .	4,573,285	3/1986	Jokel .	
2,982,353	5/1961	Luger .	4,583,715	4/1986	Wright .	
2,998,063	8/1961	Hafner .	4,607,455	8/1986	Bluem et al. .	
3,000,063	9/1961	Hoog .	4,611,431	9/1986	Lauro .	
3,120,032	2/1964	Burnette .	4,615,142	10/1986	Reeves .	
3,163,205	12/1964	Gottlieb .	4,628,635	12/1986	Maillard .	
3,216,482	11/1965	Lindholm .	4,643,318	2/1987	Kopp .	
3,420,003	1/1969	Cline .	4,671,012	6/1987	Merklinger et al. .	
3,431,966	3/1969	Injeski .	4,671,015	6/1987	Curry et al. .	
3,441,037	4/1969	Transeau .	4,677,791	7/1987	Larson et al. .	
3,461,511	8/1969	Perina .	4,685,247	8/1987	Alam .	
3,489,201	1/1970	Curry et al. .	4,702,036	10/1987	Johnson .	
3,543,977	12/1970	Lockridge .	4,777,765	10/1988	Johnson .	
3,545,135	12/1970	Lieber .	4,787,174	11/1988	Brown .	
3,571,999	3/1971	Downing .	4,831,777	5/1989	Johnson .	
3,638,284	2/1972	Baker .	4,846,246	7/1989	Stern .	
3,651,853	3/1972	Pedley .	4,848,030	7/1989	Bennett .	
3,680,260	8/1972	Bauer .	4,884,614	12/1989	Spurling .	
3,691,688	9/1972	Kaiserswerth .	4,938,154	7/1990	Watt .	
3,885,616	5/1975	Berkowitz .	4,944,117	7/1990	Gebhard et al. .	
3,906,671	9/1975	Maldonado .	4,968,071	11/1990	Stern .	
3,942,576	3/1976	Rickard .	5,052,461	10/1991	Stern .	
3,950,894	4/1976	DiMaio .	5,060,421	10/1991	Castelli .	
3,957,251	5/1976	McCracken .	5,117,585	6/1992	Andrisin .	
4,000,590	1/1977	Kordewick .	5,131,186	7/1992	Lamont .	
4,004,325	1/1977	Hubachek .	5,134,806	8/1992	Burkart .	
4,094,021	6/1978	Rapp .	5,199,753	4/1993	Presley .	
4,149,342	4/1979	Bowers .	5,217,265	6/1993	Lerner et al. .	
4,150,510	4/1979	Harrison et al. .	5,272,840	12/1993	Knoedler et al. .	
4,174,096	11/1979	Camapbell .	5,367,829	11/1994	Crossley et al. .	
4,325,533	4/1982	Tiletschke et al. .	5,396,732	3/1995	Anderson .	
4,367,819	1/1983	Lewis .	5,437,115	8/1995	Freese et al. .	
4,437,265	3/1984	Turro et al. .	5,442,881	8/1995	Asbach et al. ....	49/55



*Fig. 1*



*Fig. 2*






Fig. 3




Fig. 4






Fig. 5



*Fig. 6*



*Fig. 7*





Fig. 8





*Fig. 9*

