



US00D384936S

United States Patent [19]
Liebler

[11] **Patent Number:** **Des. 384,936**
[45] **Date of Patent:** ****Oct. 14, 1997**

[54] **TELEPHONE BATTERY PACK**

[75] **Inventor:** **Charles Frederick Liebler, Holmdel, N.J.**

[73] **Assignee:** **Lucent Technologies Inc., Murray Hill, N.J.**

[**] **Term:** **14 Years**

[21] **Appl. No.:** **48,033**

[22] **Filed:** **Dec. 18, 1995**

[51] **LOC (6) Cl.** **13-02**

[52] **U.S. Cl.** **D13/103**

[58] **Field of Search** **D13/101, 102, D13/103, 104, 107, 108, 119; 429/96-100, 159, 163, 176, 175, 181, 187**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 303,524	9/1989	Sieger et al.	D13/103
D. 331,566	12/1992	Seymour	D13/103
D. 349,882	8/1994	Johnson	D13/103
D. 350,110	8/1994	Johnson	D13/103

OTHER PUBLICATIONS

U.S. Ser. No. 08/463817 "Battery Pack for Portable Transceiver" —C.F. Liebler 9 Jun. 5, 1995.

Primary Examiner—A. Hugo Word
Assistant Examiner—Robin V. Taylor
Attorney, Agent, or Firm—Patricia A. Verlangieri

[57] **CLAIM**

The ornamental design of a telephone battery pack, as shown and described.

DESCRIPTION

FIG. 1 is a bottom, front and left side perspective view of a telephone battery pack showing our new design;

FIG. 2 is a top plan view thereof;

FIG. 3 is a bottom plan view thereof;

FIG. 4 is a right side elevation thereof;

FIG. 5 is a left side elevation thereof;

FIG. 6 is a front perspective view thereof;

FIG. 7 is a rear elevation thereof; and,

FIG. 8 is a left side elevation of the telephone battery pack configured in positional alignment in a cradle of a portable telephone.

The portable telephone shown in broken lines in FIG. 8 is for illustrative purposes only and forms no part of the claimed design.

1 Claim, 5 Drawing Sheets




FIG. 1




FIG. 2



FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8

