



US00D385037S

United States Patent [19]
Jensen

[11] **Patent Number: Des. 385,037**

[45] **Date of Patent: **Oct. 14, 1997**

[54] **ELECTRODE**

5,080,099 1/1992 Way et al. 607/152 X
5,450,845 9/1995 Axelgaard 607/152 X

[75] **Inventor: Allan Toft Jensen, Ølstykke, Denmark**

[73] **Assignee: Medicotest A/S, Ølstykke, Denmark**

[**] **Term: 14 Years**

[21] **Appl. No.: 37,335**

[22] **Filed: Apr. 11, 1995**

[30] **Foreign Application Priority Data**

Oct. 17, 1994 [DK] Denmark MA 0930 1994

[51] **LOC (6) Cl. 24-01**

[52] **U.S. Cl. D24/187**

[58] **Field of Search D24/187, 168;
607/152, 148, 149, 153, 5; 128/640, 641,
642**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 243,476 2/1977 Avery D24/187
5,010,896 4/1991 Westbrook 607/148

OTHER PUBLICATIONS

3M Health Care Brochure, "Neonatal ECG monitoring just became more reliable, Red Dot Neonatal Monitoring Electrode with pre-attached lead wire", 1993.

Primary Examiner—Stella Reid
Attorney, Agent, or Firm—Oliff & Berridge


[57] **CLAIM**

The ornamental design for an electrode, as shown.

DESCRIPTION

FIG. 1 is a top perspective view of an electrode, showing my new design;
FIG. 2 is a side elevational view thereof;
FIG. 3 is a front elevational view thereof;
FIG. 4 is another side view thereof;
FIG. 5 is a rear elevational view thereof;
FIG. 6 is a bottom plan view thereof; and,
FIG. 7 is a top plan view thereof.

1 Claim, 2 Drawing Sheets






FIG. 1



FIG. 2




FIG. 6



FIG. 5



FIG. 4



FIG. 3




FIG. 7