



US00D385174S

# United States Patent [19] Kawai

[11] Patent Number: Des. 385,174

[45] Date of Patent: \*\*Oct. 21, 1997

## [54] SCISSOR HANDLE

[75] Inventor: **Takashi Kawai**, Seki, Japan  
[73] Assignee: **Feather Safety Razor Co., Ltd.**,  
Osaka-Fu, Japan  
[\*\*] Term: **14 Years**

[21] Appl. No.: **50,570**  
[22] Filed: **Jan. 25, 1996**

[51] LOC (6) Cl. .... **08-03**  
[52] U.S. Cl. .... **D8/107; D8/57**  
[58] Field of Search ..... **D8/57, 107; 30/233,**  
**30/254, 255, 232, 266; 7/125, 132**

## [56] References Cited

### U.S. PATENT DOCUMENTS

D. 248,921	8/1978	Ferguson	.....	D8/57
D. 337,249	7/1993	Williams	.....	D8/57
D. 350,466	9/1994	Ramsey et al.	.....	D8/57
D. 363,866	11/1995	Ramsey et al.	.....	D8/57
D. 365,004	12/1995	Ramsey et al.	.....	D8/57
2,640,264	6/1953	Sullivan et al.	.....	30/254
3,825,020	7/1974	Myers	.....	30/254
4,850,110	7/1989	Meier, Jr.	.....	30/233
5,109,608	5/1992	Pracht	.....	30/232
5,430,941	7/1995	Lin	.....	30/254
5,469,626	11/1995	Vogel et al.	.....	30/254

### FOREIGN PATENT DOCUMENTS

52-91592	7/1977	Japan .
2-60681	3/1990	Japan .
814540	3/1991	Japan .
814540-1	11/1991	Japan .
814540-2	1/1992	Japan .
858871	10/1992	Japan .
859876	10/1992	Japan .
859876-1	10/1992	Japan .

## OTHER PUBLICATIONS

Beautimetics Ltd., "Guarantee of a Lifetime!", Advertisement for Switch-Blade Shears manufactured by Feather, Osaka, Japan.

Primary Examiner—Philip S. Hyder  
Attorney, Agent, or Firm—Limbach & Limbach L.L.P.

## [57] CLAIM

The ornamental design for a scissor handle, as shown and described.

## DESCRIPTION

FIG. 1 is a perspective view of a scissor handle in a closed position showing my new design;  
FIG. 2 is a front elevational view thereof;  
FIG. 3 is a rear elevational view thereof;  
FIG. 4 is a top plan view thereof;  
FIG. 5 is a bottom plan view thereof;  
FIG. 6 is a left side elevational view thereof;  
FIG. 7 is a right side elevational view thereof;  
FIG. 8 is a front elevational view when the scissor handle is in an open position;  
FIG. 9 is a perspective view of a second embodiment of my new design differing from the first embodiment only in the added finger insert shown in cross-section FIG. 17;  
FIG. 10 is a front elevational view thereof;  
FIG. 11 is a rear elevational view thereof;  
FIG. 12 is a top plan view thereof;  
FIG. 13 is a bottom plan view thereof;  
FIG. 14 is a left side elevational view thereof;  
FIG. 15 is a right side elevational view thereof;  
FIG. 16 is a front elevational view when the scissor handle is in an open position; and,  
FIG. 17 is a cross-sectional view taken along line 17—17 in FIG. 10.

1 Claim, 8 Drawing Sheets




Fig.1




Fig.2




Fig.3




Fig.4




Fig 6



Fig.7




Fig.5




Fig.8




Fig. 9




Fig.10

Fig.11





Fig.12




Fig.14




Fig.15



Fig.13






Fig.16




Fig.17

