



US00D385180S

United States Patent [19] Brandes

[11] Patent Number: **Des. 385,180**

[45] Date of Patent: ****Oct. 21, 1997**

[54] **CORNER PROTECTOR**

4,877,673 10/1989 Dionne 206/453 X
5,447,233 9/1995 Smith 248/345.1 X

[75] Inventor: **Michael J. Brandes, Jasper, Ind.**

FOREIGN PATENT DOCUMENTS

[73] Assignee: **Ther Servants, Inc., Jasper, Ind.**

2668458 4/1992 France 206/586
2827846 9/1979 Germany 206/586

[**] Term: **14 Years**

Primary Examiner—Catherine Tuttle
Attorney, Agent, or Firm—Middleton & Reutlinger; David W. Carrithers

[21] Appl. No.: **54,599**

[22] Filed: **May 17, 1996**

[57] CLAIM

[51] LOC (6) CL **08-09**

[52] U.S. Cl. **D8/403**

[58] Field of Search D8/403; D9/434,
D9/456, 499; D6/300, 301; 248/345.1;
206/320-322, 326, 453, 454, 523, 524,
586; 40/730, 739, 741, 752, 761, 764, 778,
782-785, 790

The ornamental design for a corner protector, as shown and described.

DESCRIPTION


[56] References Cited

U.S. PATENT DOCUMENTS

D. 260,590 9/1981 Hobson D8/403
D. 301,953 7/1989 Evenson D6/300 X
1,976,607 10/1934 Engel 40/778
2,471,545 5/1949 Rosenberg et al. 40/784
4,000,843 1/1977 Sorenson et al. 206/320 X

FIG. 1 is a front perspective view of my design for a corner protector;
FIG. 2 is a rear elevational view thereof;
FIG. 3 is a front elevational view thereof;
FIG. 4 is a top plan view thereof;
FIG. 5 is an elevational left side view, the opposite side being a mirror image thereof; and,
FIG. 6 is a bottom plan view thereof.
The undisclosed left inside surface is planar and unornamented.

1 Claim, 2 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5



FIG. 6