



US00D385288S

United States Patent [19]
Nakagawa

[11] **Patent Number: Des. 385,288**
[45] **Date of Patent: **Oct. 21, 1997**

- [54] **WELDING WIRE GUIDE FOR ARC COATING DEVICE**
- [76] **Inventor: Mitsuyoshi Nakagawa, 1-1-21, Kasuga, Suita-si, Osaka, Japan**
- [**] **Term: 14 Years**
- [21] **Appl. No.: 54,061**
- [22] **Filed: May 6, 1996**
- [51] **LOC (6) CL 15-09**
- [52] **U.S. Cl. D15/144.1; D15/138**
- [58] **Field of Search D15/138, 139, D15/140, 141, 142, 144.1, 144.2; 219/136, 124.34, 75, 137.2, 137.71, 137.44; 901/42**

[56] **References Cited**

U.S. PATENT DOCUMENTS

- D. 255,576 6/1980 Dahlquist D15/138
- D. 256,577 8/1980 Dahlquist D15/138
- 5,571,427 11/1996 Dimock et al. 219/136 X

Primary Examiner—Antoine Duval Davis
Attorney, Agent, or Firm—Knobbe, Martens, Olson & Bear, LLP.


[57] **CLAIM**

The ornamental design for a welding-wire guide for arc coating devices, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the welding-wire guide for arc coating devices of the present invention;
 FIG. 2 is a side plan view of the welding-wire guide for arc coating devices of the present invention;
 FIG. 3 is an end view from one end of the welding-wire guide for arc coating devices of the present invention;
 FIG. 4 is an end view of the opposite end of the welding-wire guide for arc coating devices of the present invention;
 and,
 FIG. 5 is a side elevational view of the welding-wire guide for arc coating devices of the present invention.

1 Claim, 2 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5