



US00D385323S

**United States Patent** [19]  
**Horton**

[11] **Patent Number: Des. 385,323**  
[45] **Date of Patent: \*\*Oct. 21, 1997**

[54] **GOLF BALL MARK REPAIR TOOL**  
[76] **Inventor: Paul L. Horton, 1104 Bethlehem Church Rd., Eden, N.C. 27288**  
[\*\*] **Term: 14 Years**  
[21] **Appl. No.: 46,069**  
[22] **Filed: Nov. 6, 1995**  
[51] **LOC (6) Cl. .... 21-02**  
[52] **U.S. Cl. .... D21/234**  
[58] **Field of Search .... D21/234, 208; D8/13, 89; D11/131.1; 473/406, 408, 285, 286**

D. 306,057 2/1990 Vaughan, Jr. .... D21/234  
D. 360,450 7/1995 Louden et al. .... D21/234  
D. 373,401 9/1996 Schempp .... D21/234  
3,185,483 5/1965 Klynman .... 473/408 X

*Primary Examiner*—Prabhakar G. Deshmukh


[57] **CLAIM**

The ornamental design for a golf ball mark repair tool, as shown and described.

**DESCRIPTION**

FIG. 1 is a top plan view of the repair tool embodying my design;  
FIG. 2 is a bottom plan view of the tool as shown in FIG. 1;  
FIG. 3 is a front elevational view of the tool as shown in FIG. 1; the rear elevational view being a mirror image thereof;  
FIG. 4 is a right end elevational view of the tool as shown in FIG. 1; and,  
FIG. 5 is a left end elevational view of the tool as shown in FIG. 1.

**1 Claim, 2 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5