



US00D385323S

United States Patent [19]
Horton

[11] **Patent Number: Des. 385,323**

[45] **Date of Patent: **Oct. 21, 1997**

[54] **GOLF BALL MARK REPAIR TOOL**

[76] **Inventor: Paul L. Horton, 1104 Bethlehem Church Rd., Eden, N.C. 27288**

[**] **Term: 14 Years**

[21] **Appl. No.: 46,069**

[22] **Filed: Nov. 6, 1995**

[51] **LOC (6) Cl. 21-02**

[52] **U.S. Cl. D21/234**

[58] **Field of Search D21/234, 208; D8/13, 89; D11/131.1; 473/406, 408, 285, 286**

[56] **References Cited**

U.S. PATENT DOCUMENTS

- D. 190,333 5/1961 Gunderson D21/234 X
- D. 197,205 12/1963 Estwing D8/89
- D. 230,409 2/1974 Schaffer D21/208
- D. 237,386 10/1975 Tokunaga D11/131.1
- D. 247,790 4/1978 Jackson D21/234
- D. 272,461 1/1984 Burns D21/234

- D. 306,057 2/1990 Vaughan, Jr. D21/234
- D. 360,450 7/1995 Louden et al. D21/234
- D. 373,401 9/1996 Schempp D21/234
- 3,185,483 5/1965 Klynman 473/408 X

Primary Examiner—Prabhakar G. Deshmukh

[57] **CLAIM**

The ornamental design for a golf ball mark repair tool, as shown and described.

DESCRIPTION


FIG. 1 is a top plan view of the repair tool embodying my design;

FIG. 2 is a bottom plan view of the tool as shown in FIG. 1; FIG. 3 is a front elevational view of the tool as shown in FIG. 1; the rear elevational view being a mirror image thereof;

FIG. 4 is a right end elevational view of the tool as shown in FIG. 1; and,

FIG. 5 is a left end elevational view of the tool as shown in FIG. 1.

1 Claim, 2 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5