

US00D385415S

United States Patent [19]

[11] Patent Number: **Des. 385,415**

Turbide

[45] Date of Patent: ****Oct. 28, 1997**

[54] **KEY CHAIN**

| | | | | |
|-----------|---------|-----------|-------|----------|
| 2,192,883 | 3/1940 | Forstner | | D3/207 |
| 2,531,835 | 11/1950 | Anderson | | D3/207 |
| 2,888,728 | 6/1959 | Lebermann | | D1/22 |
| 2,908,057 | 10/1959 | Blanco | | D11/221 |
| 4,713,951 | 12/1987 | Ros | | 70/456 R |

[76] Inventor: **Frederick Turbide**, 1321-10405 Jasper Ave., Edmondton, AB T5J3S2, Canada

[**] Term: **14 Years**

Primary Examiner—Ralf Seifert
Attorney, Agent, or Firm—Harold H. Dutton, Jr.

[21] Appl. No.: **59,227**

[22] Filed: **Sep. 5, 1996**

[57] **CLAIM**

[51] LOC (6) Cl. **03-01**

The ornamental design for a key chain, as shown.

[52] U.S. Cl. **D3/207**

DESCRIPTION

[58] Field of Search D3/207-211, 212; D8/348; 70/456 R, 456 B; 24/3.6

FIG. 1 is a perspective view of a key chain showing my new design;

[56] **References Cited**

FIG. 2 is a top view thereof;

U.S. PATENT DOCUMENTS

FIG. 3 is a bottom view thereof;

| | | | | |
|------------|--------|---------------------------|-------|----------|
| D. 154,210 | 6/1949 | Okun | | D3/208 |
| D. 187,425 | 3/1960 | Cavalero | | D3/207 |
| D. 203,672 | 2/1966 | Evans, Jr. | | D3/207 |
| D. 308,762 | 6/1990 | Barnes et al. | | D3/207 |
| D. 319,347 | 8/1991 | VanLandingham, Jr. et al. | | D3/210 |
| 2,105,763 | 1/1938 | DeBerry | | 70/456 R |


FIG. 4 is a left side view thereof;

FIG. 5 is a right side view thereof;

FIG. 6 is a front view thereof; and,

FIG. 7 is a rear view thereof.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3



FIG. 4



FIG. 5



FIG. 6




FIG. 7