



US00D385521S

United States Patent [19]
Ratliff, Jr.

[11] **Patent Number:** **Des. 385,521**
[45] **Date of Patent:** ****Oct. 28, 1997**

[54] **TIRE TREAD**
[75] **Inventor:** **Billy Joe Ratliff, Jr., Akron, Ohio**
[73] **Assignee:** **The Goodyear Tire & Rubber Company, Akron, Ohio**
[**] **Term:** **14 Years**
[21] **Appl. No.:** **59,610**
[22] **Filed:** **Sep. 13, 1996**
[51] **LOC (6) Cl.** **12-15**
[52] **U.S. Cl.** **D12/147**
[58] **Field of Search** **D12/136, 138, D12/140-151; 152/209 D, 209 R**

5,375,639 12/1994 Suzuki et al. 152/209 R
5,386,862 2/1995 Glover et al. 152/209 R
5,421,391 6/1995 Himuro 152/209 R
Primary Examiner—James Gandy
Attorney, Agent, or Firm—T. P. Lewandowski

[57] **CLAIM**


The ornamental design for a tire tread, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a tire tread showing my new design, it being understood that the pattern is repeated uniformly throughout the circumference of the tread;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a side elevational view thereof, the opposite side elevational view being a mirror image thereof; and,
FIG. 4 is an enlarged fragmentary front view thereof.
In the drawings, the broken lines defining the tire inner bead and the peripheral boundary between the tire tread and the sidewall are for illustrative purposes only and form no part of the claimed design.

[56] **References Cited**
U.S. PATENT DOCUMENTS
D. 278,893 5/1985 Lash D12/146
D. 357,218 4/1995 Powell D12/147
D. 362,220 9/1995 Van Emburg D12/147
5,327,952 7/1994 Glover et al. 152/209 R
5,353,854 10/1994 Landers et al. 152/209 R

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4