



US00D385536S

**United States Patent** [19]  
**Forsythe**

[11] **Patent Number: Des. 385,536**

[45] **Date of Patent: \*\*Oct. 28, 1997**

[54] **DISPLAY AND INPUT DEVICE**

[75] **Inventor: Donald L. Forsythe, Dacula, Ga.**

[73] **Assignee: NCR Corporation, Dayton, Ohio**

[\*\*] **Term: 14 Years**

[21] **Appl. No.: 56,768**

[22] **Filed: Jul. 9, 1996**

[51] **LOC (6) Cl. .... 14-02**

[52] **U.S. Cl. .... D14/113; D14/100**

[58] **Field of Search .... D14/100, 101,  
D14/106, 113, 124-129; 248/917-924;  
345/104, 133, 156, 168, 87, 173, 901-905**

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

- D. 310,352 9/1990 Kato et al. .... D14/105
- D. 373,573 9/1996 Basco et al. .... D14/100

*Primary Examiner—Freda Nunn  
Attorney, Agent, or Firm—Paul W. Martin*

[57] **CLAIM**

The ornamental design for a display and input device, as shown and described.

**DESCRIPTION**

FIG. 1 is a front view of a display and input device showing my new design;

FIG. 2 is a back view;

FIG. 3 is a right side view;

FIG. 4 is a left side view;


FIG. 5 is a top side view;

FIG. 6 is a perspective view; and,

FIG. 7 is a bottom view.

The base is shown in broken lines in FIG. 6 for illustrative purposes only and form no part of the claimed design.

**1 Claim, 7 Drawing Sheets**








FIG. 1


FIG. 2



**FIG. 3**



**FIG. 4**






FIG. 5

**FIG. 6**




FIG. 7

