



US00D385617S

United States Patent [19]

[11] Patent Number: Des. 385,617

Fowler

[45] Date of Patent: **Oct. 28, 1997

[54] PNEUMATIC GUN NOZZLE

[75] Inventor: Jeffrey Bruce Fowler, Bedford, Australia

[73] Assignee: Compri Technic Pty. Ltd., Baswater, Australia

[**] Term: 14 Years

[21] Appl. No.: 51,940

[22] Filed: Mar. 20, 1996

Related U.S. Application Data

[62] Division of Ser. No. 32,723, Dec. 27, 1994, Pat. No. Des. 369,648, which is a division of Ser. No. 16,245, Dec. 10, 1993, Pat. No. Des. 356,853, which is a division of Ser. No. 837,432, Feb. 19, 1992, Pat. No. Des. 342,429.

[51] LOC (6) Cl. 08-99

[52] U.S. Cl. D23/213; D8/70; D23/223

[58] Field of Search D8/2, 70; D23/213, D23/223, 226; 222/566; 239/525, 526, 527, 528, 589, DIG. 19

[56] References Cited

U.S. PATENT DOCUMENTS

D. 280,125	8/1985	Butterfield et al.	D23/35
D. 288,954	3/1987	McDermott et al.	D23/213
D. 323,962	2/1992	Casella	D8/61
1,806,270	5/1931	Thompson	15/345
1,867,751	7/1932	Oberhuber	15/3.5
2,500,639	3/1950	Lerner	222/566
3,451,091	6/1969	Wallace	15/3.5
4,252,255	2/1981	Henderson	222/135
4,383,346	5/1983	Bochinski et al.	15/104.06 R
4,391,298	7/1983	Ortloff	15/3.5
4,406,030	9/1983	Platts	15/104.06 R
4,467,488	8/1984	Creek	15/3.5
4,974,277	12/1990	Casella	15/3.5
5,337,961	8/1994	Brambani et al.	239/DIG. 19

Primary Examiner—James Gandy
Assistant Examiner—Robert M. Spear
Attorney, Agent, or Firm—Larson and Taylor


[57] CLAIM

The ornamental design for a pneumatic gun nozzle, as shown and described.

DESCRIPTION

FIG. 1 is a left side elevational cutaway view of a pneumatic gun nozzle, all sides being identical;
 FIG. 2 is a front view of the gun nozzle depicted in FIG. 1;
 FIG. 3 is a rear view of the gun nozzle depicted in FIG. 1;
 FIG. 4 is a left side elevational cutaway view of a second embodiment of a pneumatic gun nozzle, all sides being identical;
 FIG. 5 is a front view of the gun nozzle depicted in FIG. 4;
 FIG. 6 is a rear view of the gun nozzle depicted in FIG. 4;
 FIG. 7 is a left side elevational cutaway view of a third embodiment of a pneumatic gun nozzle, all sides being identical;
 FIG. 8 is a front view of the gun nozzle depicted in FIG. 7;
 FIG. 9 is a rear view of the gun nozzle depicted in FIG. 7;
 FIG. 10 is a left side elevational cutaway view of a fourth embodiment of a pneumatic gun nozzle, all sides being identical and the front and rear views being identical to FIGS. 2 and 3 respectively;
 FIG. 11 is a left side elevational cutaway view of a fifth embodiment of a pneumatic gun nozzle, all sides being identical and the front and rear views being identical to FIGS. 5 and 6 respectively;
 FIG. 12 is a left side elevational cutaway view of a sixth embodiment of a pneumatic gun nozzle, all sides being identical;
 FIG. 13 is a front view of the gun nozzle depicted in FIG. 12; and,
 FIG. 14 is a rear view of the gun nozzle depicted in FIG. 12.

1 Claim, 3 Drawing Sheets






Fig. 1




Fig. 4




Fig. 7




Fig. 10




Fig. 11




Fig. 12




Fig. 2




Fig. 3




Fig. 5




Fig. 6




Fig. 8




Fig. 9




Fig. 14




Fig. 13