

US00D385661S

United States Patent [19]

[11] Patent Number: **Des. 385,661**

Moorhouse

[45] Date of Patent: ****Oct. 28, 1997**

[54] **PROTECTIVE HEADWEAR DEVICE**

4,825,878 5/1989 Kuntz et al. .
4,853,974 8/1989 Olim .
5,105,476 4/1992 Cox .

[76] Inventor: **Gerard Maxwell Moorhouse**, P.O. Box 63, Kettering, Tasmania 7155, Australia

[**] Term: **14 Years**

FOREIGN PATENT DOCUMENTS

6372/27 3/1927 Australia .
590175 3/1987 Australia .
428985 5/1935 United Kingdom .

[21] Appl. No.: **44,083**

[22] Filed: **Sep. 18, 1995**

Primary Examiner—Ruth McInroy
Attorney, Agent, or Firm—Lowe, Price, LeBlanc & Becker

[30] **Foreign Application Priority Data**

Mar. 17, 1995 [AU] Australia 802/95

[51] **LOC (6) Cl.** **09-03**

[52] **U.S. Cl.** **D29/104**

[58] **Field of Search** D29/106, 107, D29/108, 109, 110; 2/9, 15, 424, 425, 12

[57] **CLAIM**

The ornamental design for a protective headwear device, as shown and described.

[56] **References Cited**

U.S. PATENT DOCUMENTS


D. 302,609 8/1989 Wheeler D29/109
D. 329,444 9/1992 Rauch D29/109
D. 354,588 1/1995 Russell D29/110
1,803,338 5/1931 Magee .
2,060,127 11/1936 Schofield .
3,389,406 6/1968 Mitchell 2/14
4,096,589 6/1978 Goldstein .
4,393,519 7/1983 Nicastro D29/109

DESCRIPTION

FIG. 1 is a front elevation view of a protective headwear device showing my new design;
FIG. 2 is a right side elevation view thereof;
FIG. 3 is a rear elevation view thereof;
FIG. 4 is a top plan view; and,
FIG. 5 is a perspective view thereof.

As shown in the accompanying drawing, the protective headwear device includes a transparent shield, a flexible support together with a padded insert, and a support strap.

1 Claim, 2 Drawing Sheets






FIG 1




FIG 2




FIG 3




FIG 4




FIG 5