

US00D385892S

United States Patent [19]
Kawai

[11] **Patent Number:** **Des. 385,892**
[45] **Date of Patent:** ****Nov. 4, 1997**

[54] **BEARING HOLDER**

[75] **Inventor:** **Hisaji Kawai**, Shizuoka, Japan

[73] **Assignee:** **Yazaki Industrial Chemical Co., Ltd.**,
Japan

[**] **Term:** **14 Years**

[21] **Appl. No.:** **56,000**

[22] **Filed:** **Jun. 19, 1996**

[51] **LOC (6) Cl.** **15-09**

[52] **U.S. Cl.** **D15/143**

[58] **Field of Search** **D15/143; 384/428-444**

[56] **References Cited**

U.S. PATENT DOCUMENTS

3,954,311 5/1976 Pike 384/439

Primary Examiner—Antoine Duval Davis

Attorney, Agent, or Firm—Ronald P. Kananen

[57] **CLAIM**

The ornamental design for a bearing holder, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a bearing holder showing my new design;
FIG. 2 is a rear perspective view thereof;
FIG. 3 is a front elevational view thereof;
FIG. 4 is a rear elevational view thereof;
FIG. 5 is a top plan view thereof;
FIG. 6 is a left side elevational view thereof;
FIG. 7 is a right side elevational view thereof;
FIG. 8 is a sectional view along line 8—8 of FIG. 3; and,
FIG. 9 is a sectional view along line 9—9 of FIG. 3.
The bottom end is a mirror image of the top plan shown in FIG. 5.

1 Claim, 6 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9

