

US00D385895S

United States Patent [19]

Hoshi

[11] Patent Number: **Des. 385,895**

[45] Date of Patent: ****Nov. 4, 1997**

[54] CAMERA

[75] Inventor: **Tomohiro Hoshi, Machida, Japan**

[73] Assignee: **Canon Kabushiki Kaisha, Tokyo, Japan**

[**] Term: **14 Years**

[21] Appl. No.: **57,530**

[22] Filed: **Jul. 26, 1996**

[30] **Foreign Application Priority Data**

Jan. 31, 1996 [JP] Japan 8-2258

[51] LOC (6) Cl. **16-01**

[52] U.S. Cl. **D16/209**

[58] Field of Search D16/200-205,
D16/208, 209, 216-218; 396/155, 176,
439, 205, 535-543

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 319,452 8/1991 Shiba D16/209

D. 323,522	1/1992	Horikiri	D16/209
D. 345,173	3/1994	Swayze	D16/218
D. 345,989	4/1994	Akabane et al.	D16/209
D. 356,808	3/1995	Nagaoka	D16/209
4,814,813	3/1989	Yamamoto et al.	396/205

Primary Examiner—Ted Shooman
Assistant Examiner—Adir Aronovich
Attorney, Agent, or Firm—Fitzpatrick, Cella, Harper & Scinto

[57] **CLAIM**

The ornamental design for a camera, as shown and described.

DESCRIPTION

FIG. 1 is a front view of a camera showing my new design;
FIG. 2 is a rear view thereof;
FIG. 3 is a top plan view thereof;
FIG. 4 is a bottom plan view thereof;
FIG. 5 is a left side view thereof;
FIG. 6 is a right side view thereof; and,
FIG. 7 is a perspective view thereof.

1 Claim, 3 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

