

US00D385895S

# United States Patent [19]

Hoshi

[11] Patent Number: **Des. 385,895**

[45] Date of Patent: **\*\*Nov. 4, 1997**

[54] CAMERA

[75] Inventor: **Tomohiro Hoshi, Machida, Japan**

[73] Assignee: **Canon Kabushiki Kaisha, Tokyo, Japan**

[\*\*] Term: **14 Years**

[21] Appl. No.: **57,530**

[22] Filed: **Jul. 26, 1996**

[30] **Foreign Application Priority Data**

Jan. 31, 1996 [JP] Japan ..... 8-2258

[51] LOC (6) Cl. .... **16-01**

[52] U.S. Cl. .... **D16/209**

[58] Field of Search ..... D16/200-205,  
D16/208, 209, 216-218; 396/155, 176,  
439, 205, 535-543

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 319,452 8/1991 Shiba ..... D16/209

D. 323,522	1/1992	Horikiri .....	D16/209
D. 345,173	3/1994	Swayze .....	D16/218
D. 345,989	4/1994	Akabane et al. ....	D16/209
D. 356,808	3/1995	Nagaoka .....	D16/209
4,814,813	3/1989	Yamamoto et al. ....	396/205

*Primary Examiner*—Ted Shooman  
*Assistant Examiner*—Adir Aronovich  
*Attorney, Agent, or Firm*—Fitzpatrick, Cella, Harper & Scinto


[57] **CLAIM**

The ornamental design for a camera, as shown and described.


**DESCRIPTION**

FIG. 1 is a front view of a camera showing my new design;  
FIG. 2 is a rear view thereof;  
FIG. 3 is a top plan view thereof;  
FIG. 4 is a bottom plan view thereof;  
FIG. 5 is a left side view thereof;  
FIG. 6 is a right side view thereof; and,  
FIG. 7 is a perspective view thereof.


**1 Claim, 3 Drawing Sheets**




*FIG. 1*




*FIG. 2*



*FIG. 3*




*FIG. 4*






*FIG. 5*



*FIG. 6*



*FIG. 7*

