



US00D385909S

United States Patent [19]
Tashiro et al.

[11] **Patent Number:** **Des. 385,909**
[45] **Date of Patent:** *****Nov. 4, 1997**

[54] **INK CARTRIDGE FOR PRINTER**
[75] **Inventors:** **Naoki Tashiro, Kawasaki; Toshihiko Ujita, Yamato; Teruo Arashima, Kawasaki; Yuji Hamasaki, Sagamihara; Hisashi Yamamoto, Hiratsuka; Wataru Takahashi, Yokohama, all of Japan**
[73] **Assignee:** **Canon Kabushiki Kaisha, Tokyo, Japan**
[*] **Notice:** The portion of the term of this patent subsequent to Dec. 31, 2010, has been disclaimed.
[**] **Term:** **14 Years**

[21] **Appl. No.:** **42,266**
[22] **Filed:** **Aug. 4, 1995**
[30] **Foreign Application Priority Data**
Feb. 6, 1995 [JP] Japan 7-2799
[51] **LOC (6) Cl.** **18-02**
[52] **U.S. Cl.** **D18/56**
[58] **Field of Search** **D18/12, 43, 56;**
347/42-43, 86-87

[56] **References Cited**
U.S. PATENT DOCUMENTS
D. 325,743 4/1992 Kojima et al. D18/56
D. 326,111 5/1992 Otsuka et al. D18/56
D. 331,939 12/1992 Ujita D18/12
D. 338,224 8/1993 Ujita D18/56
D. 338,232 8/1993 Kotaki et al. D18/56
D. 341,619 11/1993 Ujita et al. D18/56

D. 341,620 11/1993 Ujita et al. D18/56
D. 348,477 7/1994 Ujita et al. D18/56
D. 348,478 7/1994 Ujita et al. D18/56
D. 348,479 7/1994 Ujita et al. D18/56
D. 348,480 7/1994 Ujita et al. D18/56
D. 348,688 7/1994 Ujita D18/12
D. 349,723 8/1994 Ujita D18/12
D. 351,855 10/1994 Kubota et al. D18/56
D. 351,856 10/1994 Watanabe et al. D18/56
D. 352,059 11/1994 Kubota et al. D18/56
D. 352,060 11/1994 Kubota et al. D18/56
D. 355,210 2/1995 Kubota et al. D18/56
D. 355,213 2/1995 Kubota et al. D18/56
D. 355,215 2/1995 Kubota et al. D18/56
D. 355,929 2/1995 Kubota et al. D18/56
D. 356,332 3/1995 Kubota et al. D18/56
D. 363,736 10/1995 Ujita et al. D18/56
D. 367,884 3/1996 Taneya et al. D18/56

Primary Examiner—Cathy Anne MacCormac
Attorney, Agent, or Firm—Fitzpatrick, Cella, Harper & Scinto

[57] **CLAIM**
The ornamental design for an ink cartridge for printer, as shown and described.

DESCRIPTION
FIG. 1 is a front elevational view of an ink cartridge for printer showing our new design;
FIG. 2 is a rear elevational view thereof;
FIG. 3 is a top plan view thereof;
FIG. 4 is a bottom plan view thereof;
FIG. 5 is a left side elevational view thereof;
FIG. 6 is a right side elevational view thereof; and,
FIG. 7 is a perspective view thereof.

1 Claim, 1 Drawing Sheet




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6





FIG. 7



UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : Des. 385,909

DATED : November 4, 1997

INVENTOR(S) : NAOKI TASHIRO ET AL.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Item

[56] REFERENCES CITED

Insert --FOREIGN PATENT DOCUMENTS--

--4-369557 12/1992 Japan D18/56-- and
--523635 1/1993 European Pat. Off. 347/86--.

Insert --OTHER PUBLICATIONS--

--Canon Brochure; Replaceable BJ Cartridge;
rear cover.--.

Signed and Sealed this

Twenty-first Day of April, 1998



Attest:

BRUCE LEHMAN

Attesting Officer

Commissioner of Patents and Trademarks