



US00D386101S

# United States Patent [19]

Kawabata

[11] Patent Number: **Des. 386,101**

[45] Date of Patent: **\*\*Nov. 11, 1997**

[54] **FIRE DETECTOR**

[75] Inventor: **Yoshimi Kawabata, Hachiouji, Japan**

[73] Assignee: **Hochiki Kabushiki Kaisha, Tokyo, Japan**

[\*\*] Term: **14 Years**

[21] Appl. No.: **61,382**

[22] Filed: **Oct. 23, 1996**

[30] **Foreign Application Priority Data**

Apr. 24, 1996 [JP] Japan ..... 11995/1996

[51] LOC (6) Cl. .... **10-05**

[52] U.S. Cl. .... **D10/106**

[58] Field of Search ..... D10/104, 106,  
D10/116, 121; 340/571, 572, 573, 628,  
629, 630, 631, 632

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 357,202 4/1995 Ozawa ..... D10/106

D. 357,203 4/1995 Ozawa ..... D10/106  
D. 377,321 1/1997 Jomizawa ..... D10/106

*Primary Examiner*—Marcus A. Jackson  
*Attorney, Agent, or Firm*—Lackenbach Siegel Marzullo  
Aronson & Greenspan, PC

[57] **CLAIM**

The ornamental design for a fire detector.

**DESCRIPTION**

FIG. 1 is a perspective view of a smoke detector showing my new design for a fire detector;

FIG. 2 is a top plan view thereof;

FIG. 3 is a front elevational view thereof;

FIG. 4 is a right side elevational view thereof; the left side being a mirror image thereof;

FIG. 5 is a bottom plan view thereof; and,

FIG. 6 is a rear elevational view thereof.

**1 Claim, 3 Drawing Sheets**




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

