



US00D386134S

United States Patent [19]

Cagneaux et al.

[11] Patent Number: Des. 386,134
[45] Date of Patent: **Nov. 11, 1997

[54] TREAD OF A TIRE

[75] Inventors: **Guy Cagneaux**,
Egliseneuve-Pres-Billom; **Alain Delias**,
Perignat-les-Sarlieves; **Jacques-Henri
Martin**, Chamalieres, all of France

[73] Assignee: **Compagnie Generale des
Etablissements Michelin - Michelin
& Cie**, Clermont-Ferrand Cedex, France

[**] Term: 14 Years

[21] Appl. No.: 56,002

[22] Filed: Jun. 19, 1996

[30] Foreign Application Priority Data

Dec. 21, 1995 [FR] France 95 6927

[51] LOC (6) Cl. 12-15

[52] U.S. Cl. D12/147

[58] Field of Search D12/136, 138,
D12/140-151; 152/209 A, 209 D, 209 R

[56] References Cited

U.S. PATENT DOCUMENTS

D. 296,541 7/1988 Gettys et al. .
D. 303,946 10/1989 Graas .
D. 323,801 2/1992 Kajita D12/147
D. 350,513 9/1994 Mehta et al. .
D. 364,594 11/1995 Krupa et al. .
D. 377,329 1/1997 Hamamoto et al. D12/147
5,322,107 6/1994 Lagnier 152/209 R
5,361,816 11/1994 Hitzky 152/209 R

OTHER PUBLICATIONS

TDG 1980, p. 52: Kelly-Springfield (Benchmark).
TDG 1993, p. 59: Reynolds (Turbo plus Radial GT).
TDG 1980, p. 34: Douglas (Track Master Belted 60).

Primary Examiner—James Gandy

Attorney, Agent, or Firm—Brumbaugh, Graves, Donohue &
Raymond

[57] CLAIM

The ornamental design for a tread of a tire, as shown and
described.

DESCRIPTION

FIG. 1 is an elevational view of a tread of a tire embodying
our new design, it being understood that the pattern is
repeated uniformly throughout the circumference of the
tread;

FIG. 2 is a perspective view of the tread of a tire shown in
FIG. 1;

FIG. 3 is an elevational view of an alternative embodiment
of a tread of a tire embodying our new design, it being
understood that the pattern is repeated uniformly throughout
the circumference of the tread;


FIG. 4 is a perspective view of the tread of a tire shown in
FIG. 3;

FIG. 5 is an elevational view of still another alternative
embodiment of a tread of a tire embodying our new design,
it being understood that the pattern is repeated uniformly
throughout the circumference of the tread; and,

FIG. 6 is a perspective view of the tread of a tire shown in
FIG. 5.

In the drawings, the broken lines defining the tire inner bead
and sidewall are for illustrative purposes only and form no
part of the claimed design.

1 Claim, 6 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6