



US00D386183S

**United States Patent** [19]  
**Katayama**

[11] **Patent Number: Des. 386,183**

[45] **Date of Patent: \*\*Nov. 11, 1997**

[54] **CAMERA**

[75] **Inventor: Noriko Katayama, Tokyo, Japan**

[73] **Assignee: Fuji Photo Film Co., Ltd., Kanagawa, Japan**

[\*\*] **Term: 14 Years**

[21] **Appl. No.: 58,973**

[22] **Filed: Aug. 29, 1996**

[30] **Foreign Application Priority Data**

Mar. 1, 1996 [JP] Japan ..... 8-5506

[51] **LOC (6) Cl. .... 16-01**

[52] **U.S. Cl. .... D16/209**

[58] **Field of Search .... D16/200-205,  
D16/208, 209, 216-218; 396/176, 195,  
535-543**

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 326,466 5/1992 Yu ..... D16/209

D. 343,406 1/1994 Giugiaro ..... D16/209  
D. 353,389 12/1994 Shirai ..... D16/209  
D. 368,106 3/1996 Katayama .  
D. 375,511 11/1996 Horikiri ..... D16/217  
4,990,945 2/1991 Cho et al. .

*Primary Examiner*—Ted Shooman  
*Assistant Examiner*—Adir Aronovich  
*Attorney, Agent, or Firm*—Young & Thompson

[57] **CLAIM**

The ornamental design for a camera, as shown.

**DESCRIPTION**

FIG. 1 is a top, front and side perspective view of a camera showing my new design;  
FIG. 2 is a front elevational view thereof;  
FIG. 3 is a rear elevational view thereof;  
FIG. 4 is a top plan view thereof;  
FIG. 5 is a bottom plan view thereof;  
FIG. 6 is a side elevational view thereof from the left of FIG. 2; and,  
FIG. 7 is a side elevational view thereof from the right of FIG. 2.

**1 Claim, 3 Drawing Sheets**




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

